


Publications

The following 375 peer-reviewed papers directly related to Cimbi have been published since the inauguration of the center in 2006 and until the end of 2022.



2022

1. Borgsted C, Hoegsted E, Henningsson S, Pinborg A, Ganz M, Frokjaer VG. Hippocampal volume changes in a pharmacological sex-hormone manipulation risk model for depression in women. *Horm Behav.* 2022 Sep;145:105234
2. Hansen JY, Shafiei G, Markello RD, Smart K, Cox SML, Nørgaard M, Beliveau V, Wu Y, Gallezot JD, Aumont É, Servaes S, Scala SG, DuBois JM, Wainstein G, Bezgin G, Funck T, Schmitz TW, Spreng RN, Galovic M, Koeppe MJ, Duncan JS, Coles JP, Fryer TD, Aigbirhio FI, McGinnity CJ, Hammers A, Soucy JP, Baillet S, Guimond S, Hietala J, Bedard MA, Leyton M, Kobayashi E, Rosa-Neto P, Ganz M, Knudsen GM, Palomero-Gallagher N, Shine JM, Carson RE, Tuominen L, Dagher A, Masic B. Mapping neurotransmitter systems to the structural and functional organization of the human neocortex. *Nat Neurosci.* 2022 Nov;25(11):1569-1581
3. Hansen JY, Markello RD, Tuominen L, Nørgaard M, Kuzmin E, Palomero-Gallagher N, Dagher A, Masic B. Correspondence between gene expression and neurotransmitter receptor and transporter density in the human brain. *Neuroimage.* 2022 Dec 1;264:119671
4. Shalgunov V, Lopes van den Broek S, Vang Andersen I, García Vázquez R, Raval NR, Palner M, Mori Y, Schäfer G, Herrmann B, Mikula H, Beschorner N, Nedergaard M, Syvänen S, Barz M, Moos Knudsen G, Battisti UM, Herth MM. Pretargeted imaging beyond the blood-brain barrier. *RSC Med Chem.* 2022 Dec 2;14(3):444-453
5. Vestergaard M, Baaré WFC, Holm SK, Madsen CG, Paulson OB, Born AP, Uldall P, Siebner HR, Madsen KS. Glucocorticoid treatment for non-cerebral diseases in children and adolescents is associated with differences in uncinate fasciculus microstructure. *Pediatr Res.* 2022 Mar;91(4):879-887. Erratum in: *Pediatr Res.* 2022 Feb 9; PMID: 33790412

2021

1. Beliveau V, Nørgaard M, Birkl C, Seppi K, Scherfler C. Automated segmentation of deep brain nuclei using convolutional neural networks and susceptibility weighted imaging. *Hum Brain Mapp.* 2021 Oct 15;42(15):4809-4822
2. Gonzalez MR, Baaré WFC, Hagler DJ Jr, Archibald S, Vestergaard M, Madsen KS. Brain structure associations with phonemic and semantic fluency in typically-developing children. *Dev Cogn Neurosci.* 2021 Aug;50:100982. doi: 10.1016/j.dcn.2021.100982. Epub 2021 Jun 21. PMID: 34171560; PMCID: PMC8242963.

3. Macoveanu J, Freeman KO, Kjaerstad HL, Knudsen GM, Kessing LV, Miskowiak KW. Structural brain abnormalities associated with cognitive impairments in bipolar disorder. *Acta Psychiatr Scand*. 2021 Oct;144(4):379-391
4. Mehta D, Grewen K, Pearson B, Wani S, Wallace L, Henders AK, Binder EB, Frokjaer VG, Meltzer-Brody S, Wray NR, Stuebe AM. Genome-wide gene expression changes in postpartum depression point towards an altered immune landscape. *Transl Psychiatry*. 2021 Mar 4;11(1):155
5. Nørgaard M, Beliveau V, Ganz M, Svarer C, Pinborg LH, Keller SH, Jensen PS, Greve DN, Knudsen GM. A high-resolution in vivo atlas of the human brain's benzodiazepine binding site of GABAA receptors. *Neuroimage*. 2021 May 15;232:117878

2020

1. Baltzersen OB, Meltzer HY, Frokjaer VG, Raghava JM, Baandrup L, Fagerlund B, Larsson HBW, Fibiger HC, Glenthøj BY, Knudsen GM, Ebdrup BH. Identification of a Serotonin 2A Receptor Subtype of Schizophrenia Spectrum Disorders With Pimavanserin: The Sub-Sero Proof-of-Concept Trial Protocol. *Front Pharmacol*. 2020 Apr 30;11:591
2. Frokjaer VG. Pharmacological sex hormone manipulation as a risk model for depression. *J Neurosci Res*. 2020 Jul;98(7):1283-1292
3. Hjordt LV, Ozenne B, Armand S, Dam VH, Jensen CG, Köhler-Forsberg K, Knudsen GM, Stenbæk DS. Psychometric Properties of the Verbal Affective Memory Test-26 and Evaluation of Affective Biases in Major Depressive Disorder. *Front Psychol*. 2020 Jun 5;11:961
4. Kramer V, Dyssegaard A, Flores J, Soza-Ried C, Rösch F, Knudsen GM, Amaral H, Herth MM. Characterization of the serotonin 2A receptor selective PET tracer (R)-[18F]MH.MZ in the human brain. *Eur J Nucl Med Mol Imaging*. 2020 Feb;47(2):355-365
5. Kringelbach ML, Cruzat J, Cabral J, Knudsen GM, Carhart-Harris R, Whybrow PC, Logothetis NK, Deco G. Dynamic coupling of whole-brain neuronal and neurotransmitter systems. *Proc Natl Acad Sci U S A*. 2020 Apr 28;117(17):9566-9576
6. Licht CL, Mortensen EL, Hjordt LV, Stenbaek DS, Arentzen TE, Nørremølle A, Knudsen GM. Serotonin transporter gene (SLC6A4) variation and sensory processing sensitivity-Comparison with other anxiety-related temperamental dimensions. *Mol Genet Genomic Med*. 2020 Aug;8(8):e1352
7. L'Estrade ET, Shalgunov V, Edgar FG, Strelb-Bantillo MG, Xiong M, Crestey F, Neelamegam R, Dyssegaard A, Lehel S, Erlandsson M, Ohlsson T, Hooker JM, Knudsen GM, Herth MM, Hansen HD. Radiosynthesis and preclinical evaluation of [11 C]Cimbi-701 - Towards the imaging of cerebral 5-HT7 receptors. *J Labelled Comp Radiopharm*. 2020 Feb;63(2):46-55
8. Thystrup CK, Vangkilde S, Ozenne B, Stenbæk DS. Severity of self-reported depressive symptoms in a healthy sample is modulated by trait Harm Avoidance, not by 5-HTTLPR polymorphism. *Psychiatry Res*. 2020 Sep;291:113029
9. Wagner MK, Berg SK, Hassager C, Armand S, Møller JE, Ekholm O, Rasmussen TB, Fisher PM, Knudsen GM, Stenbæk DS. Cognitive impairment and psychopathology in out-of-hospital cardiac arrest survivors in Denmark: The REVIVAL cohort study protocol. *BMJ Open*. 2020 Sep 29;10(9):e038633

2019

1. da Cunha-Bang S, Ettrup A, Mc Mahon B, Skibsted AP, Schain M, Lehel S, Dyssegaard A, Jørgensen LM, Møller K, Gillings N, Svarer C, Knudsen GM. Measuring endogenous changes in serotonergic neurotransmission with [11C]Cimbi-36 positron emission tomography in humans. *Transl Psychiatry*. 2019 Apr 11;9(1):134
2. Erritzoe D, Smith J, Fisher PM, Carhart-Harris R, Frokjaer VG, Knudsen GM. Recreational use of psychedelics is associated with elevated personality trait openness: Exploration of associations with brain serotonin markers. *J Psychopharmacol*. 2019 Sep;33(9):1068-1075

3. Griem-Krey N, Klein AB, Herth M, Wellendorph P. Autoradiography as a Simple and Powerful Method for Visualization and Characterization of Pharmacological Targets. *J Vis Exp*. 2019 Mar 12;(145)
4. Hansen HD, Constantinescu CC, Barret O, Herth MM, Magnussen JH, Lehel S, Dyssegaard A, Colomb J, Billard T, Zimmer L, Tamagnan G, Knudsen GM. Evaluation of [¹⁸F]2FP3 in pigs and non-human primates. *J Labelled Comp Radiopharm*. 2019 Jan;62(1):34-42
5. Hjordt LV, Stenbæk DS. Sensory processing sensitivity and its association with seasonal affective disorder. *Psychiatry Research*. 2019 Feb;272:359-364
6. Jensen CG, Krogh SC, Westphael G, Hjordt LV. Mindfulness is positively related to socioeconomic job status and income and independently predicts mental distress in a long-term perspective: Danish validation studies of the Five-Factor Mindfulness Questionnaire. *Psychol Assess*. 2019 Jan;31(1):e1-e20. *Psychol Assess*. 2019 Jan;31(1):e1-e20
7. Johansen A, Holm S, Dall B, Keller S, Kristensen JL, Knudsen GM, Hansen HD. Human biodistribution and radiation dosimetry of the 5-HT_{2A} receptor agonist Cimbi-36 labeled with carbon-11 in two positions. *EJNMMI Res*. 2019 Jul 31;9(1):71
8. Lansner J, Jensen CG, Petersen A, Fisher PM, Frokjaer VG, Vangkilde S, Knudsen GM. Three weeks of SSRI administration enhances the visual perceptual threshold - a randomized placebo-controlled study. *Psychopharmacology (Berl)*. 2019 Jun;236(6):1759-1769
9. Larsen LK, Frøkjær VG, Nielsen JS, Skrobik Y, Winkler Y, Møller K, Petersen M, Egerod I. Delirium assessment in neuro-critically ill patients: A validation study. *Acta Anaesthesiol Scand*. 2019 Mar;63(3):352-359
10. L'Estrade ET, Hansen HD, Falk-Petersen C, Haugaard A, Griem-Krey N, Jung S, Lüddens H, Schirmeister T, Erlandsson M, Ohlsson T, Knudsen GM, Herth MM, Wellendorph P, Frølund B. Synthesis and Pharmacological Evaluation of [¹¹C]4-Methoxy-N-[2-(thiophen-2-yl)imidazo[1,2-a]pyridin-3-yl]benzamide as a Brain Penetrant PET Ligand Selective for the δ -Subunit-Containing γ -Aminobutyric Acid Type A Receptors. *ACS Omega*. 2019 May 22;4(5):8846-8851
11. Magnusson PO, Boer VO, Marsman A, Paulson OB, Hanson LG, Petersen ET. Gamma-aminobutyric acid edited echo-planar spectroscopic imaging (EPSI) with MEGA-sLASER at 7T. *Magn Reson Med*. 2019 Feb;81(2):773-780
12. Mehta D, Rex-Haffner M, Søndergaard HB, Pinborg A, Binder EB, Frokjaer VG. Genome-wide gene expression in a pharmacological hormonal transition model and its relation to depressive symptoms. *Acta Psychiatr Scand*. 2019 Jul;140(1):77-84
13. Mehta D, Rex-Haffner M, Søndergaard HB, Pinborg A, Binder EB, Frokjaer VG. Evidence for oestrogen sensitivity in perinatal depression: pharmacological sex hormone manipulation study. *Br J Psychiatry*. 2019 Sep;215(3):519-527
14. Ozenne B, Tae-Hee C, Mikkelsen IK, Hermier M, Thomalla G, Pedraza S, Roy P, Berthezène Y, Nighoghossian N, Østergaard L, Baron JC, Maucort-Boulch D. Individualized Quantification of the Benefit from Reperfusion Therapy using Stroke Predictive Models. *Eur J Neurosci*. 2019 Oct;50(8):3251-3260
15. Prabhakaran J, DeLorenzo C, Zanderigo F, Knudsen GM, Gilling N, Pratap M, Jorgensen MJ, Daunais J, Kaplan JR, Parsey RV, Mann JJ, Kumar D. In vivo PET Imaging of [¹¹C]CIMBI-5, a 5-HT_{2A} Agonist Radiotracer in Nonhuman Primates. *J Pharm Pharm Sci*. 2019;22(1):352-364
16. Stenbæk DS, Budtz-Jørgensen E, Pinborg A, Jensen PS, Frokjaer VG. Neuroticism modulates mood responses to pharmacological sex hormone manipulation in healthy women. *Psychoneuroendocrinology*. 2019 Jan;99:251-256
17. Stenbaek DS, Kristiansen S, Burmester D, Madsen MK, Frokjaer VG, Knudsen GM, Fisher PM. Trait Openness and serotonin 2A receptors in healthy volunteers: A positron emission tomography study. *Hum Brain Mapp*. 2019 May;40(7):2117-2124

18. Sundström Poromaa I, Comasco E, Bäckström T, Bixo M, Jensen P, Frokjaer VG. Negative Association Between Allopregnanolone and Cerebral Serotonin Transporter Binding in Healthy Women of Fertile Age. *Front Psychol.* 2019 Jan 11;9:2767
19. Vassilieva A, Olsen MH, Peinkhofer C, Knudsen GM, Kondziella D. Automated pupillometry to detect command following in neurological patients: a proof-of-concept study. *PeerJ.* 2019 May 13;7:e6929

2018

1. Antonsen KK#, Klausen MK#, Brunchmann AS, le Dous N, Jensen ME, Miskowiak KW, Fisher PM, Thomsen GK, Rindom H, Fahmy TP, Vollstaedt-Klein S, Benveniste H, Volkow ND, Becker U, Ekstrøm C, Knudsen GM, Vilsbøll T, Fink-Jensen A. Does glucagon-like peptide-1 (GLP-1) receptor agonist stimulation reduce alcohol intake in patients with alcohol dependence: study protocol of a randomised, double-blinded, placebo-controlled clinical trial. *BMJ Open.* 2018 Jul 16;8(7):e019562
2. Borgsted C, Ozenne B, Mc Mahon B, Madsen KM, Hjordt LV, Hageman I, Baaré WFC, Knudsen GM, Fisher PM. Amygdala response to emotional faces in seasonal affective disorder. *J Affect Disord.* 2018 Mar 15;229:288-295
3. Deco G, Cruzat J, Cabral J, Knudsen GM, Carhart-Harris RL, Whybrow PC, Logothetis NK, Kringelbach ML. Whole-Brain Multimodal Neuroimaging Model Using Serotonin Receptor Maps Explains Non-linear Functional Effects of LSD. *Curr Biol.* 2018 Oct 8;28(19):3065-3074
4. Hjordt LV, Dam VH, Ozenne B, Hageman I, Mc Mahon B, Mortensen EL, Knudsen GM, Stenbæk DS. Self-perceived personality characteristics in seasonal affective disorder and their implications for severity of depression. *Psychiatry Res.* 2018 Feb 6;262:108-114
5. Hornboll B, Macoveanu J, Nejad A, Rowe J, Elliott R, Knudsen GM, Siebner HR, Paulson OB. Neuroticism predicts the impact of serotonin challenges on fear processing in subgenual anterior cingulate cortex. *Sci Rep.* 2018 Dec 17;8(1):17889
6. Johansen A, Hansen HD, Svarer C, Lehel S, Leth-Petersen S, Kristensen JL, Gillings N, Knudsen GM. The importance of small polar radiometabolites in molecular neuroimaging: A PET study with [¹¹C]Cimbi-36 labeled in two positions. *J Cereb Blood Flow Metab.* 2018 Apr;38(4):659-668
7. Madsen KS, Jernigan TL, Vestergaard M, Mortensen EL, Baaré WFC. Neuroticism is linked to microstructural left-right asymmetry of fronto-limbic fibre tracts in adolescents with opposite effects in boys and girls. *Neuropsychologia.* 2018 Apr 11;114:1-10
8. Mc Mahon B, Nørgaard M, Svarer C, Andersen SB, Madsen MK, Baaré WFC, Madsen J, Frokjaer VG, Knudsen GM. Seasonality-resilient individuals downregulate their cerebral 5-HT transporter binding in winter - A longitudinal combined ¹¹C-DASB and ¹¹C-SB207145 PET study. *Eur Neuropsychopharmacol.* 2018 Oct;28(10):1151-1160
9. Miskowiak KW, Macoveanu J, Jørgensen MB, Støttrup MM, Ott CV, Jensen HM, Jørgensen A, Harmer J, Paulson OB, Kessing LV, Siebner HR. Neural response after a single ECT session during retrieval of emotional self-referent words in depression: a randomized, sham-controlled fMRI study. *Int J Neuropsychopharmacol.* 2018 Mar 1;21(3):226-235
10. Miskowiak KW, Macoveanu J, Jørgensen MB, Ott CV, Støttrup MM, Jensen HM, Jørgensen A, Harmer CJ, Paulson OB, Siebner HR, Kessing LV. Effect of electroconvulsive therapy on neural response to affective pictures: A randomized, sham-controlled fMRI study. *Eur Neuropsychopharmacol.* 2018 Aug;28(8):915-924
11. Petersen JZ, Schmidt LS, Vinberg M, Jørgensen MB, Hageman I, Ehrenreich H, Knudsen GM, Kessing LV, Miskowiak KW. Effects of recombinant human erythropoietin on cognition and neural activity in remitted patients with mood disorders and first-degree relatives of patients with psychiatric disorders: a study protocol for a randomized controlled trial. *Trials.* 2018 Nov 6;19(1):611
12. Skibsted AP, Amiri M, Fisher PM, Sidaros A, Hribljan MC, Larsen VA, Højgaard JLS, Nikolic M, Hauerberg J, Fabricius ME, Knudsen GM, Møller K, Kondziella D. Consciousness in Neurocritical Care

Cohort Study Using fMRI and EEG (CONNECT-ME): Protocol for a Longitudinal Prospective Study and a Tertiary Clinical Care Service. *Front Neurol*. 2018 Nov 27;9:1012

13. T L'Estrade E, Hansen HD, Erlandsson M, Ohlsson TG, Knudsen GM, Herth MM. Classics in Neuroimaging: The Serotonergic 2A Receptor System - from Discovery to Modern Molecular Imaging. *ACS Chem Neurosci*. 2018 Jun 20;9(6):1226-1229
14. Villadsen J, Hansen HD, Jørgensen LM, Keller SH, Andersen FL, Petersen IN, Knudsen GM, Svarer C. Automatic delineation of brain regions on MRI and PET images from the pig. *J Neurosci Methods*. 2018 Jan 15;294:51-58

2017

1. Beliveau V, Ganz M, Feng L, Ozenne B, Højgaard L, Fisher PM, Svarer C, Greve DN, Knudsen GM. A High-Resolution In Vivo Atlas of the Human Brain's Serotonin System. *J Neurosci*. 2017 Jan 4;37(1):120-128
2. da Cunha-Bang S, Hjordt LV, Perfalk E, Beliveau V, Bock C, Lehel S, Thomsen C, Sestoft D, Svarer C, Knudsen GM. Serotonin 1B receptor binding is associated with trait anger and level of psychopathy in violent offenders. *Biol Psychiatry*. 2017 Aug 15;82(4):267-274
3. da Cunha-Bang S, Fisher PM, Hjordt LV, Perfalk E, Persson Skibsted A, Bock C, Ohlhues Baandrup A, Deen M, Thomsen C, Sestoft DM, Knudsen GM. Violent offenders respond to provocations with high amygdala and striatal reactivity. *Soc Cogn Affect Neurosci*. 2017 May 1;12(5):802-810
4. Edgar FG, Hansen HD, Leth-Petersen S, Etrup A, Kristensen JL, Knudsen GM, Herth MM. Synthesis, radiofluorination and preliminary evaluation of the potential 5-HT_{2A} receptor agonists [18 F]Cimbi-92 and [18 F]Cimbi-150. *J Labelled Comp Radiopharm*. 2017 Oct;60(12):586-591
5. Fisher PM, Larsen CB, Beliveau V, Henningsson S, Pinborg A, Holst KK, Jensen PS, Svarer C, Siebner HR, Knudsen GM, Frokjaer VG. Pharmacologically Induced Sex-Hormone Fluctuation Effects on Resting-State Functional Connectivity in a Risk Model for Depression: A Randomized Trial. *Neuropsychopharmacology*. 2017 Jan;42(2):446-453
6. Fisher PM, Ozenne B, Svarer C, Adamsen D, Lehel S, Baaré WF, Jensen PS, Knudsen GM. BDNF val66met association with serotonin transporter binding in healthy humans. *Transl Psychiatry*. 2017 Feb 14;7(2):e1029
7. Ganz M, Feng L, Hansen HD, Beliveau V, Svarer C, Knudsen GM, Greve DN. Cerebellar heterogeneity and its impact on PET data quantification of 5-HT receptor radioligands. *J Cereb Blood Flow Metab*. 2017 Jan 1:271678X16686092
8. Ganz M, Kondermann D, Andrulis J, Knudsen GM, Maier-Hein L. Crowdsourcing for error detection in cortical surface delineations. *Int J Comput Assist Radiol Surg*. 2017 Jan;12(1):161-166
9. Hjordt LV, Stenbæk DS, Madsen KS, Mc Mahon B, Jensen CG, Vestergaard M, Hageman I, Meder D, Hasselbalch SG, Knudsen GM. State-dependent alterations in inhibitory control and emotional face identification in seasonal affective disorder. *J Abnorm Psychol*. 2017 Apr;126(3):291-300
10. Hjordt LV, Stenbæk DS, Ozenne B, Mc Mahon B, Hageman I, Hasselbalch SG, Knudsen GM. Season-independent cognitive deficits in seasonal affective disorder and their relation to depressive symptoms. *Psychiatry Res*. 2017 Jul 30;257:219-226
11. Jensen CH, Hansen HD, Bay T, Vogensen SB, Lehel S, Thiesen L, Bundgaard C, Clausen RP, Knudsen GM, Herth MM, Wellendorph P, Frølund B. Radiosynthesis and Evaluation of [11C]3-Hydroxycyclopent-1-enecarboxylic Acid as Potential PET Ligand for the High-Affinity α -Hydroxybutyric Acid Binding Sites. *ACS Chem Neurosci*. 2017 Jan 18;8(1):22-27
12. Kessing LV, Munkholm K, Faurholt-Jepsen M, Miskowiak KW, Nielsen LB, Frikke-Schmidt R, Ekstrøm C, Winther O, Pedersen BK, Poulsen HE, McIntyre RS, Kapczinski F, Gattaz WF, Bardram J, Frost M, Mayora O, Knudsen GM, Phillips M, Vinberg M. The Bipolar Illness Onset study - research protocol for the BIO cohort study. *BMJ Open*. 2017 Jun 23;7(6):e015462

13. Miskowiak KW, Kessing LV, Ott CV, Macoveanu J, Harmer CJ, Jørgensen A, Revsbech R, Jensen HM, Paulson OB, Siebner HR, Jørgensen MB. Does a single session of electroconvulsive therapy alter the neural response to emotional faces in depression? A randomised sham-controlled functional magnetic resonance imaging study. *J Psychopharmacol.* 2017 Sep;31(9):1215-1224
14. Petersen IN, Villadsen J, Hansen HD, Madsen J, Jensen AA, Gillings N, Lehel S, Herth MM, Knudsen GM, Kristensen JL. 18F-Labeling of electron rich iodonium ylides: application to the radiosynthesis of potential 5-HT_{2A} receptor PET ligands. *Org Biomol Chem.* 2017 May 23;15(20):4351-4358
15. Skibsted AP, Cunha-Bang SD, Carré JM, Hansen AE, Beliveau V, Knudsen GM, Fisher PM. Aggression-related brain function assessed with the Point Subtraction Aggression Paradigm in fMRI. *Aggress Behav.* 2017 Nov;43(6):601-610
16. Stéen EJ, Nyberg N, Lehel S, Andersen VL, Di Pilato P, Knudsen GM, Kristensen JL, Herth MM. Development of a simple proton nuclear magnetic resonance-based procedure to estimate the approximate distribution coefficient at physiological pH (logD_{7.4}): Evaluation and comparison to existing practices. *Bioorg Med Chem Lett.* 2017 Jan 15;27(2):319-322
17. Stenbæk DS, Fisher PM, Ozenne B, Andersen E, Hjor dt LV, McMahon B, Hasselbalch SG, Frokjaer VG, Knudsen GM. Brain serotonin 4 receptor binding is inversely associated with verbal memory recall. *Brain Behav.* 2017 Mar 17;7(4):e00674
18. Stenbæk DS, Dam VH, Fisher PM, Hansen N, Hjor dt LV, Frøkjær VG. No evidence for a role of the serotonin 4 receptor in five-factor personality traits: A positron emission tomography brain study. *PLoS One.* 2017 Sep 7;12(9):e0184403
19. Tuominen L, Miettunen J, Cannon DM, Drevets WC, Frokjaer VG, Hirvonen J, Ichise M, Jensen PS, Keltikangas-Järvinen L, Klaver JM, Knudsen GM, Takano A, Suhara T, Hietala J. Neuroticism associates with cerebral in vivo serotonin transporter binding differently in males and females. *Int J Neuropsychopharmacol.* 2017 Dec 1;20(12):963-970
20. Vestergaard M, Holm SK, Uldall P, Siebner HR, Paulson OB, Baaré WFC, Madsen KS. Glucocorticoid treatment earlier in childhood and adolescence show dose-response associations with diurnal cortisol levels. *Dev Psychobiol.* 2017 Dec;59(8):1010-1020
21. Yang KC, Stepanov V, Martinsson S, Ettrup A, Takano A, Knudsen GM, Halldin C, Farde L, Finnema SJ. Fenfluramine Reduces [11C]Cimbi-36 Binding to the 5-HT_{2A} Receptor in the Nonhuman Primate Brain. *Int J Neuropsychopharmacol.* 2017 Sep 1;20(9):683-691

2016

1. da Cunha-Bang S, Mc Mahon B, MacDonald Fisher P, Jensen PS, Svarer C, Moos Knudsen G. High trait aggression in men is associated with low 5-HT levels, as indexed by 5-HT₄ receptor binding. *Soc Cogn Affect Neurosci.* 2016 Apr;11(4):548-55
2. Ettrup A, Svarer C, McMahon B, da Cunha-Bang S, Lehel S, Møller K, Dyssegaard A, Ganz M, Beliveau V, Jørgensen LM, Gillings N, Knudsen GM. Serotonin 2A receptor agonist binding in the human brain with [11C]cimbi-36: Test-retest reproducibility and head-to-head comparison with the antagonist [18F]altanserin. *Neuroimage.* 2016 Apr 15;130:167-74
3. Feng L, Svarer C, Madsen K, Ziebell M, Dyssegaard A, Ettrup A, Hansen HD, Lehel S, Yndgaard S, Paulson OB, Knudsen GM, Pinborg LH. Design of Infusion Schemes for Neuroreceptor Imaging: Application to [11C]Flumazenil-PET Steady-State Study. *Biomed Res Int.* 2016;2016:9132840
4. Greve DN, Salat DH, Bowen SL, Izquierdo-Garcia D, Schultz AP, Catana C, Becker JA, Svarer C, Knudsen G, Sperling RA, Johnson KA. Different partial volume correction methods lead to different conclusions: An 18F-FDG-PET study of aging. *Neuroimage.* 2016 May 15;132:334-43
5. Herth MM, Petersen IN, Hansen HD, Hansen M, Ettrup A, Jensen AA, Lehel S, Dyssegaard A, Gillings N, Knudsen GM, Kristensen JL. Synthesis and evaluation of 18F-labeled 5-HT_{2A} receptor agonists as PET ligands. *Nucl Med Biol.* 2016 Apr 19;43(8):455-462

6. Jakobsen GR, Fisher PM, Dyssegaard A, McMahon B, Holst KK, Lehel S, Svarer C, Jensen PS, Knudsen GM, Frokjaer VG. Brain serotonin 4 receptor binding is associated with the cortisol awakening response. *Psychoneuroendocrinology*. 2016 May;67:124-32
7. Jensen CG, Niclasen J, Vangkilde SA, Petersen A, Hasselbalch SG. General Inattentiveness Is a Long-Term Reliable Trait Independently Predictive of Psychological Health: Danish Validation Studies of the Mindful Attention Awareness Scale. *Psychol Assess*. 2016 May;28(5):e70-87
8. Jensen CG, Hjortd LV, Stenbæk DS, Andersen E, Back SK, Lansner J, Hageman I, Dam H, Nielsen AP, Knudsen GM, Frokjaer VG, Hasselbalch SG. Development and Psychometric Validation of the Verbal Affective Memory Test. *Memory*. 2016 Oct;24(9):1208-23
9. Klein AB, Bay T, Villumsen IS, Falk-Petersen CB, Marek A, Frølund B, Clausen RP, Hansen HD, Knudsen GM, Wellendorph P. Autoradiographic imaging and quantification of the high-affinity GHB binding sites in rodent brain using 3H-HOCPA. *Neurochem Int*. 2016 Sep 8;100:138-145
10. Knudsen GM, Jensen PS, Erritzoe D, Baaré WFC, Ettrup A, Fisher PM, Gillings N, Hansen HD, Hansen LK, Hasselbalch SG, Henningsson S, Herth MM, Holst KK, Iversen P, Kessing LV, Macoveanu J, Madsen KS, Mortensen EL, Nielsen FÅ, Paulson OB, Siebner HR, Stenbæk DS, Svarer C, Jernigan TL, Strother SC, Frokjaer VG. The Center for Integrated Molecular Brain Imaging (Cimbi) Database. *NeuroImage*. 2016 Jan 1;124(Pt B):1213-1219
11. Kondziella D, Friberg CK, Frokjaer VG, Fabricius M, Møller K. Preserved consciousness in vegetative and minimal conscious states: systematic review and meta-analysis. *J Neurol Neurosurg Psychiatry*.
12. Larsen IU, Mortensen EL, Vinther-Jensen T, Nielsen JE, Knudsen GM, Vogel A. Personality traits in Huntington's disease: An exploratory study of gene expansion carriers and non-carriers. *Am J Med Genet B Neuropsychiatr Genet*. 2016 Dec;171(8):1153-1160
13. Laursen HR, Henningsson S, Macoveanu J, Jernigan TL, Siebner HR, Holst KK, Skimminge A, Knudsen GM, Ramzøyt TZ, Erritzoe D. Serotonergic neurotransmission in emotional processing: New evidence from long-term recreational poly-drug ecstasy use. *J Psychopharmacol*. 2016 Dec;30(12):1296-1304
14. Leth-Petersen S, Gabel-Jensen C, Gillings N, Lehel S, Hansen HD, Knudsen GM, Kristensen JL. Metabolic fate of hallucinogenic NBOMes. *Chem Res Toxicol*. 2016 Jan 19;29(1):96-100
15. Macoveanu J, Miskowiak K, Kessing LV, Vinberg M, Siebner H. Healthy co-twins of patients with affective disorders show reduced risk-related activation of the insula during a monetary gambling task. *J Psychiatry Neurosci*. 2016 Jan;41(1):38-47
16. Macoveanu J, Henningsson S, Pinborg A, Jensen PS, Knudsen GM, Frokjaer VG, Siebner HR. Sex-Steroid Hormone Manipulation Reduces Brain Response to Reward. *Neuropsychopharmacology*. 2016 Mar;41(4):1057-65
17. Macoveanu J, Fisher PM, Madsen MK, Mc Mahon B, Knudsen GM, Siebner HR. Bright-light intervention induces a dose-dependent increase in striatal response to risk in healthy volunteers. *Neuroimage*. 2016 Jun 16;139:37-43
18. Madsen MK, Mc Mahon B, Andersen SB, Siebner HR, Knudsen GM, Fisher PM. Threat-related amygdala functional connectivity is associated with 5-HTTLPR genotype and neuroticism. *Soc Cogn Affect Neurosci*. 2016 Jan;11(1):140-9
19. Mc Mahon B, Andersen SB, Madsen MK, Hjortd LV, Hageman I, Dam H, Svarer C, da Cunha-Bang S, Baaré W, Madsen J, Hasholt L, Holst K, Frokjaer VG, Knudsen GM. Seasonal difference in brain serotonin transporter binding predicts symptom severity in patients with seasonal affective disorder. *Brain*. 2016 May;139(Pt 5):1605-14
20. Miskowiak KW, Vinberg M, Glerup L, Paulson OB, Knudsen GM, Ehrenreich H, Harmer CJ, Kessing LV, Siebner HR, Macoveanu J. Neural correlates of improved executive function following erythropoietin treatment in mood disorders. *Psychol Med*. 2016 Jun;46(8):1679-91

21. Miskowiak KW, Macoveanu J, Vinberg M, Assentoft E, Randers L, Harmer CJ, Ehrenreich H, Paulson OB, Knudsen GM, Siebner HR, Kessing LV. Effects of erythropoietin on memory-relevant neurocircuitry activity and recall in mood disorders. *Acta Psychiatr Scand*. 2016 Sep;134(3):249-59
22. Petersen IN, Villadsen J, Hansen HD, Jensen AA, Lehel S, Gillings N, Herth MM, Knudsen GM, Kristensen JL. Convergent 18F-labeling and evaluation of N-benzyl-phenethylamines as 5-HT_{2A} receptor PET ligands. *Bioorg Med Chem*. 2016 Nov 1;24(21):5353-5356
23. Rasmussen H, Frokjaer VG, Hilker RW, Madsen J, Anhøj S, Oranje B, Pinborg LH, Glenthøj B, Knudsen GM. Low frontal serotonin 2A receptor binding is a state marker for schizophrenia? *Eur Neuropsychopharmacol*. 2016 Jul;26(7):1248-50
24. Stenbæk DS, Einarsdottir HS, Goregliad-Fjeallingsdal T, Knudsen GM, Frokjaer VG, Hasselbalch SG. Evaluation of acute tryptophan depletion and sham depletion with a gelatin-based collagen peptide protein mixture. *Eur Neuropsychopharmacol*. 2016 Jan;26(1):147-9
25. Stenbæk DS, Fisher PM, Budtz-Jørgensen E, Pinborg A, Hjortd LV, Jensen PS, Knudsen GM, Frokjaer VG. Sex hormone manipulation slows reaction time and increases labile mood in healthy women. *Psychoneuroendocrinology*. 2016 Jun;68:39-46

2015

1. Andersen VL, Hansen HD, Herth MM, Dyssegaard A, Knudsen GM, Kristensen JL. (11)C-labeling and preliminary evaluation of pimavanserin as a 5-HT_{2A} receptor PET-radioligand. *Bioorg Med Chem Lett*. 2015 Mar 1;25(5):1053-6
2. Beliveau V, Svarer C, Frokjaer VG, Knudsen GM, Greve DN, Fisher PM. Functional connectivity of the dorsal and median raphe nuclei at rest. *Neuroimage*. 2015 Aug 1;116:187-95
3. Fantegrossi WE, Gray BW, Bailey JM, Smith DA, Hansen M, Kristensen JL. Hallucinogen-like effects of 2-([2-(4-cyano-2,5-dimethoxyphenyl) ethylamino]methyl)phenol (25CN-NBOH), a novel N-benzylphenethylamine with 100-fold selectivity for 5-HT_{2A} receptors, in mice. *Psychopharmacology (Berl)*. 2015 Mar;232(6):1039-47
4. Fisher PM, Holst KK, Adamsen D, Klein AB, Frokjaer VG, Jensen PS, Svarer C, Gillings N, Baare WFC, Mikkelsen JD, Knudsen GM. BDNF val66met and 5-HTTLPR polymorphisms predict a human in vivo marker for brain serotonin levels. *Hum Brain Mapp*. 2015 Jan;36(1):313-23
5. Fisher PM, Haahr ME, Jensen CG, Frokjaer VG, Siebner HR, Knudsen GM. Fluctuations in [11C]SB207145 PET binding associated with change in threat-related amygdala reactivity in humans. *Neuropsychopharmacology*. 2015 May;40(6):1510-8
6. Fisher PM, Grady CL, Madsen MK, Strother SC, Knudsen GM. 5-HTTLPR differentially predicts brain network responses to emotional faces. *Hum Brain Mapp*. 2015 Jul;36(7):2842-51
7. Frokjaer VG, Pinborg A, Holst KK, Overgaard A, Henningsson S, Heede M, Larsen EC, Jensen PS, Agn M, Nielsen AP, Stenbæk DS, da Cunha-Bang S, Lehel S, Siebner HR, Mikkelsen JD, Svarer C, Knudsen GM. Role of Serotonin Transporter Changes in Depressive Responses to Sex-Steroid Hormone Manipulation: A Positron Emission Tomography Study. *Biol Psychiatry*. 2015 Oct 15;78(8):534-43
8. Ganz M, Greve DN, Fischl B, Konukoglu E, for the Alzheimer's Disease Neuroimaging Initiative. Relevant Feature Set Estimation with a Knock-out Strategy and Random Forests. *NeuroImage*. 2015 Aug 10;122:131-148
9. Gelskov SV, Henningsson S, Madsen KH, Siebner HR, Ramsøy TZ. Amygdala signals subjective appetitiveness and aversiveness of mixed gambles. *Cortex*. 2015 Mar 5;66:81-90
10. Hansen HD, Andersen VL, Lehel S, Magnussen JH, Dyssegaard A, Stroth N, Kristensen JL, Knudsen GM, Herth MM. Labeling and preliminary in vivo evaluation of the 5-HT₇ receptor selective agonist [(11)C]E-55888. *Bioorg Med Chem Lett*. 2015 May 1;25(9):1901-4

11. Hansen M, Jacobsen SE, Plunkett S, Liebscher GE, McCorvy JD, Bräuner-Osborne H, Kristensen JL. Synthesis and pharmacological evaluation of N-benzyl substituted 4-bromo-2,5-dimethoxyphenethylamines as 5-HT_{2A/2C} partial agonists. *Bioorg Med Chem*. 2015 July 15;23(14):3933-7
12. Henningsson S, Madsen KH, Pinborg A, Heede M, Knudsen GM, Siebner HR, Frokjaer VG. Role of emotional processing in depressive responses to sex-hormone manipulation: a pharmacological fMRI study. *Transl Psychiatry*. 2015 Dec 1;5:e688
13. Herth MM, Andersen VL, Hansen HD, Stroth N, Volk B, Lehel S, Dyssegaard A, Ettrup A, Svenningsson P, Knudsen GM, Kristensen JL. Evaluation of 3-Ethyl-3-(phenylpiperazinylbutyl)oxindoles as PET Ligands for the Serotonin 5-HT₇ Receptor: Synthesis, Pharmacology, Radiolabeling, and in Vivo Brain Imaging in Pigs. *J Med Chem*. 2015 Apr 23;58(8):3631-6
14. Herth M, Knudsen GM. Current Radiosynthesis Strategies for 5-HT_{2A} Receptor PET Tracers. *J Labelled Comp Radiopharm*. 2015 Jun 15;58(7):265-73
15. Haahr ME, Hansen DL, Fisher PM, Svarer C, Stenbæk D, Madsen K, Madsen J, Holst JJ, Baaré WF, Hojgaard L, Almdahl T, Knudsen GM. Central 5-HT neurotransmission modulates weight loss following gastric bypass surgery in obese individuals. *J Neurosci*. 2015 Apr 8;35(14):5884-9
16. Jensen CG, Lansner J, Petersen A, Vangkilde SA, Ringkøbing SP, Frokjaer VG, Adamsen D, Knudsen GM, Denninger JW, Hasselbalch SG. Open and Calm--a randomized controlled trial evaluating a public stress reduction program in Denmark. *BMC Public Health*. 2015 Dec 16;15:1245
17. Lunn TH, Frokjaer VG, Hansen TB, Kristensen PW, Lind T, Kehlet H. Analgesic Effect of Perioperative Escitalopram in High Pain Catastrophizing Patients after Total Knee Arthroplasty: A Randomized, Double-blind, Placebo-controlled Trial. *Anesthesiology*. 2015 Apr;122(4):884-94
18. Madsen K, Torstensen E, Holst KK, Haahr ME, Knorr U, Frokjaer VG, Brandt-Larsen M, Iversen P, Fisher PM, Knudsen GM. Familial risk for major depression is associated with lower striatal 5-HT₄ receptor binding. *Int J Neuropsychopharmacol*. 2015 Jan 1;18(1)
19. Mesgari M, Okoli C, Mehdi M, Nielsen FÅ, Lanamäki A. "The sum of all human knowledge": A systematic review of scholarly research on the content of Wikipedia. *Journal of the Association for Information Science and Technology*. 2015 Feb;66(2):219-45
20. Nalla AA, Thomsen G, Knudsen GM, Frokjaer VG. The effect of storage conditions on salivary cortisol concentrations using an Enzyme Immuno Assay. *Scand J Clin Lab Invest*. 2015 Jan;75(1):92-5
21. Nørgaard M, Ganz M, Svarer C, Beliveau V, Fisher PM, Mc Mahon B, Greve DN, Strother SC, Knudsen GM. Estimation of Regional Seasonal Variations in SERT-levels using the FreeSurfer PET pipeline: a reproducibility study. *Proceedings of the MICCAI workshop on Computational Methods for Molecular Imaging*, 2015
22. Ratner C, Madsen AN, Kristensen LV, Skov LJ, Pedersen KS, Mortensen OH, Knudsen GM, Raun K, Holst B. Impaired oxidative capacity due to decreased CPT1b levels as a contributing factor to fat accumulation in obesity. *Am J Physiol Regul Integr Comp Physiol*. 2015 Jun 1;308(11):R973-82
23. Stenbæk DS, Toftager M, Hjordt LV, Jensen PS, Holst KK, Bryndorf T, Holland T, Bogstad J, Pinborg A, Horness P, Frokjaer VG. Mental distress and personality in women undergoing GnRH antagonist versus GnRH agonist protocols for assisted reproductive technology. *Hum Reprod*. 2015 Jan;30(1):103-10
24. Visser AK, Ettrup A, Klein AB, van Waarde A, Bosker FJ, Meerlo P, Knudsen GM, de Boer SF. Similar serotonin-2A receptor binding in rats with different coping styles or levels of aggression. *Synapse*. 2015 Apr;69(4):226-32

1. Agn M, Svarer C, Frokjaer VG, Greve DN, Knudsen GM, Leemput KV. Improved Resolution and Reliability in Dynamic PET Using Bayesian Regularization of MRTM2. 2014 IEEE International Symposium on Biomedical Imaging
2. Andersen SB, Holst KK, McMahon B, Madsen MK, Møller P, Hageman I, Knudsen GM. Sweet taste sensitivity is influenced by 5-HTTLPR genotype and affected in seasonal affective disorder. *Psychiatry Research*. 2014 Dec 15;220(1-2):727-9
3. Andersen VL, Hansen HD, Herth MM, Knudsen GM, Kristensen JL. 11C-labeling and preliminary evaluation of vortioxetine as a PET radioligand. *Bioorg Med Chem Lett*. 2014 Jun 1;24(11):2408-11
4. Arbib MA, Bonaiuto JJ, Bornkessel-Schlesewsky I, Kemmerer D, Macwhinney B, Nielsen FA, Oztop E. Action and Language Mechanisms in the Brain: Data, Models and Neuroinformatics. *Neuroinformatics*. 2014 Jan;12(1):209-25.
5. Aarnink SH, Vos SB, Leemans A, Jernigan TL, Madsen KS, Baaré WFC. Automated Longitudinal Intra-Subject Analysis (ALISA) for diffusion MRI tractography. *Neuroimage*. 2014 Feb 1;86:404-16
6. Bonnevie R, Hansen LK. Fast Sampling From A Hidden Markov Model Posterior For Large Data. In *Proc. IEEE Machine Learning for Signal Processing 2014 (MLSP)*, pp. 1-6, IEEE, 2014
7. Comasco E, Frøkjær VG, Poromaa IS. Functional and molecular neuroimaging of menopause and hormone replacement therapy. *Frontiers Neuroscience*. 2014 Dec 8;8:388
8. Ettrup A, da Cunha-Bang S, McMahon B, Lehel S, Dyssegaard A, Skibsted AW, Jørgensen LM, Hansen M, Baandrup AO, Bache S, Svarer C, Kristensen JL, Gillings N, Madsen J, Knudsen GM. Serotonin 2A receptor agonist binding in the human brain with [11C]Cimbi-36. *J Cereb Blood Flow Metab*. 2014 Jul;34(7):1188-96
9. Finnema SJ, Stepanov V, Ettrup A, Nakao R, Amini N, Svedberg M, Lehmann C, Hansen M, Knudsen GM, Halldin C. Characterization of [11C]Cimbi-36 as an Agonist PET Radioligand for the 5-HT_{2A} and 5-HT_{2C} Receptors in the Nonhuman Primate Brain. *Neuroimage*. 2014 Jan;84:342-53
10. Fisher PM, Madsen MK, Mc Mahon B, Holst KK, Andersen SB, Laursen HR, Hasholt LF, Siebner HR, Knudsen GM. Three-week bright-light intervention has dose-related effects on threat-related corticolimbic reactivity and functional coupling. *Biol Psychiatry*. 2014 Aug 15;76(4):332-9
11. Frokjaer VG, Erritzoe D, Holst KK, Madsen KS, Fisher PM, Madsen J, Svarer C, Knudsen GM. In abstinent MDMA users the cortisol awakening response is off-set but associated with prefrontal serotonin transporter binding as in non-users. *Int J Neuropsychopharmacol*. 2014 Aug;17(8):1119-28
12. Greve DN, Svarer C, Fisher PM, Feng L, Hansen AE, Baare W, Rosen B, Fischl B, Knudsen GM. Cortical surface-based analysis reduces bias and variance in kinetic modeling of brain PET data. *Neuroimage*. 2014 May 15;92:225-3
13. Hansen HD, Herth MM, Ettrup A, Andersen VL, Lehel S, Dyssegaard A, Kristensen JL, Knudsen GM. Radiosynthesis and In Vivo Evaluation of Novel Radioligands for PET Imaging of Cerebral 5-HT₇ Receptors. *J Nucl Med*. 2014 Apr;55(4):640-6
14. Hansen HD, Lacivita E, Di Pilato P, Herth MM, Lehel S, Ettrup A, Andersen VL, Dyssegaard A, De Giorgio P, Perrone R, Berardi F, Colabufo NA, Mauro N, Knudsen GM, Leopoldo M. Synthesis, radiolabeling and in vivo evaluation of [11C](R)-1-[4-[2-(4-methoxyphenyl)phenyl]piperazin-1-yl]-3-(2-pyrazinyloxy)-2-propanol, a potential PET radioligand for the 5-HT₇ receptor. *Eur J Med Chem*. 2014 May 22;79:152-63
15. Hansen M, Phonekeo K, Paine JS, Leth-Petersen S, Begtrup M, Bräuner-Osborne H, Kristensen JL. Synthesis and Structure-Activity Relationships of N-Benzyl Phenethylamines as 5-HT_{2A/2C} Agonists. *ACS Chem Neurosci*. 2014 Mar 19;5(3):243-9
16. Hansen ST, Hansen LK. EEG Source Reconstruction using Sparse Basis Function Representations. In *Proc. IEEE 4th International Workshop on Pattern Recognition in Neuroimaging*, pp. 1-4. IEEE. 2014

17. Hansen TJ, Abrahamsen TJ, Hansen LK. Denoising by semi-supervised kernel PCA preimaging. *Pattern Recognit Lett.* 2014 Nov 1;49:114-20
18. Herth MM, Leth-Petersen S, Lehel S, Hansen M, Knudsen GM, Gillings N, Madsen J, Kristensen JL. Accelerating preclinical PET-screening: reductive amination with [11C]methoxybenzaldehydes. *RSC Advances* 4 (41), 21347-21350
19. Haahr ME, Fisher PM, Jensen CG, Frokjaer VG, Mahon BM, Madsen K, Baaré WF, Lehel S, Norremolle A, Rabiner EA, Knudsen GM. Central 5-HT₄ receptor binding as biomarker of serotonergic tonus in humans: a [11C]SB207145 PET study. *Mol Psychiatry.* 2014 Apr;19(4):427-32
20. Klein AB, Ultved L, Adamsen D, Santini MA, Tobeña A, Fernandez-Teruel A, Flores P, Moreno M, Cardona D, Knudsen GM, Aznar S, Mikkelsen JD. 5-HT_{2A} and mGlu₂ receptor binding levels are related to differences in impulsive behavior in the Roman Low- (RLA) and High- (RHA) avoidance rat strains. *Neuroscience.* 2014 Mar 28;263:36-45
21. Konvalinka I, Bauer M, Stahlhut C, Hansen LK, Roepstorff A, Frith CD. Frontal alpha oscillations distinguish leaders from followers: multivariate decoding of mutually interacting brains. *Neuroimage.* 2014 Jul 1;94:79-88
22. Lacivita E, Niso M, Hansen HD, Di Pilato P, Herth MM, Lehel S, Ettrup A, Montenegro L, Perrone R, Berardi F, Colabufo NA, Leopoldo M, Knudsen GM. Design, synthesis, radiolabeling and in vivo evaluation of potential positron emission tomography (PET) radioligands for brain imaging of the 5-HT₇ receptor. *Bioorg Med Chem.* 2014 Mar 1;22(5):1736-50
23. Laursen HR, Siebner R, Haren T, Madsen K, Grønlund R, Hulme O, Henningsson S. Variation in the oxytocin receptor gene is associated with behavioral and neural correlates of empathic accuracy. *Front Behav Neurosci.* 2014 Dec 5;8:423
24. Leth-Petersen S, Bundgaard C, Hansen M, Carnerup MA, Kehler J, Kristensen JL. Correlating the Metabolic Stability of Psychedelic 5-HT_{2A} Agonists with Anecdotal Reports of Human Oral Bioavailability. *Neurochem Res.* 2014 Oct;39(10):2018-23
25. Macoveanu J. Serotonergic modulation of reward and punishment: evidence from pharmacological fMRI studies. *Brain Res.* 2014 Mar 27;1556:19-27
26. Macoveanu J, Knorr U, Søndergaard MG, Jørgensen A, Fauerholdt-Jepsen M, Paulson OB, Knudsen GM, Siebner HR, Kessing LV. Altered reward processing in the orbitofrontal cortex and hippocampus in healthy first-degree relatives of patients with depression. *Psychol Med.* 2014 Apr;44(6):1183-95
27. Macoveanu J, Fisher PM, Haahr ME, Frokjaer VG, Knudsen GM, Siebner HR. Effects of selective serotonin reuptake inhibition on neural activity related to risky decisions and monetary rewards in healthy males. *Neuroimage.* 2014 Oct;99:434-42
28. Nielsen FÅ. Brede tools and federating online neuroinformatics databases. *Neuroinformatics.* 2014 Jan;12(1):27-37
29. Okoli C, Mehdi M, Mesgari M, Nielsen FÅ, Lanamäki A. Wikipedia in the eyes of its beholders: A systematic review of scholarly research on wikipedia readers and readership. *Journal of the Association for Information Science and Technology.* 2014 Dec;65(12):2381-2403
30. Poulsen AT, Kamronn SD, Parra L, Hansen LK. Bayesian Correlated Component Analysis for inference of joint EEG activation. In *Proc. IEEE 4th International Workshop on Pattern Recognition in Neuroimaging*, pp. 1-4. IEEE. 2014.
31. Rasmussen H, Ebdrup BH, Oranje B, Pinborg LH, Knudsen GM, Glenthøj B. Neocortical serotonin_{2A} receptor binding predicts quetiapine associated weight gain in antipsychotic-naive first-episode schizophrenia patients. *Int J Neuropsychopharmacol.* 2014 Nov;17(11):1729-36
32. Stenbæk DS, Jensen CG, Holst KK, Mortensen EL, Knudsen GM, Frokjaer VG. Does Harm Avoidance mediate effects of recollected parental bonding on mental distress in adulthood? *Compr Psychiatry.* 2014 May;55(4):1007-14

33. Stenbæk DS, Hjordt LV, Haahr ME, Worm D, Hansen DL, Mortensen EL, Knudsen GM. Personality characteristics in surgery seeking and non-surgery seeking obese individuals compared to non-obese controls. *Eating Behaviors*. 2014 Dec;15(4):595-8
34. Stopczynski A, Stahlhut C, Petersen MK, Larsen JE, Jensen CF, Ivanova MG, Andersen TS, Hansen LK. Smartphones as pocketable labs: visions for mobile brain imaging and neurofeedback. *Int J Psychophysiol*. 2014 Jan;91(1):54-66
35. Stopczynski A, Stahlhut C, Larsen JE, Petersen MK, Hansen LK. The smartphone brain scanner: a portable real-time neuroimaging system. *PLoS One*. 2014 Feb 5;9(2):e86733
36. Wey HY, Catana C, Hooker JM, Dougherty DD, Knudsen GM, Wang DJ, Chonde DB, Rosen BR, Gollub RL, Kong J. Simultaneous fMRI-PET of the Opioidergic Pain System in Human Brain. *Neuroimage*. 2014 Nov 15;102 Pt 2:275-82

2013

1. Abrahamsen TJ, Hansen LK. Variance Inflation in High Dimensional Support Vector Machines. *Pattern Recognition Letters* 2013. 2013 Dec;34(16):2173-80
2. Andersen MR, Hansen ST, Hansen LK. Learning the solution sparsity of an ill-posed linear inverse problem with the Variational Garrote. 2013 IEEE International Workshop on Machine Learning for Signal Processing (MLSP), pp. 1-6. IEEE, 2013
3. Andersen VL, Herth MM, Lehel S, Knudsen GM, Kristensen JL. Palladium-mediated conversion of para-aminoarylboronic esters into para-aminoaryl-¹¹C-methanes. *Tetrahedron Letters*. 2013 Jan;54(3):213-6
4. Clemmensen C, Smajilovic S, Madsen AN, Klein AB, Holst B, Brauner-Osborne H. Increased susceptibility to diet-induced obesity in GPRC6A receptor knockout mice. *J Endocrinol*. 2013 Apr 15;217(2):151-60
5. da Cunha-Bang S, Stenbæk DS, Holst K, Licht CL, Jensen PS, Frokjaer VG, Mortensen EL, Knudsen GM. Trait aggression and trait impulsivity are not related to frontal cortex 5-HT_{2A} receptor binding in healthy individuals. *Psychiatry Res*. 2013 May 30;212(2):125-31
6. Elfving B, Christensen T, Ratner C, Wienecke J, Klein AB. Transient activation of mTOR following forced treadmill exercise in rats. *Synapse*. 2013 Sep;67(9):620-5
7. Ettrup A, Holm S, Hansen M, Wasim M, Santini M, Palner M, Madsen J, Svarer C, Kristensen JL, and Knudsen GM. Preclinical safety assessment of the 5-HT_{2A} receptor agonist PET radioligand [¹¹C]Cimbi-36. *Molecular Imaging and Biology*. 2013 Aug;15(4):376-83
8. Fisher PM, Hariri AR. Identifying serotonergic mechanisms underlying the corticolimbic response to threat in humans. *Philos Trans R Soc Lond B Biol Sci*. 2013 Feb 25;368(1615):20120192
9. Frokjaer VG, Erritzoe D, Holst KK, Jensen PS, Rasmussen PM, Fisher PM, Baare W, Madsen KS, Madsen J, Svarer C, Knudsen GM. Prefrontal serotonin transporter availability is positively associated with the cortisol awakening response. *Eur Neuropsychopharmacol*. 2013 Apr;23(4):285-94
10. Grady CL, Siebner HR, Hornboll B, Macoveanu J, Paulson OB, Knudsen GM. Acute pharmacologically induced shifts in serotonin availability abolish emotion-selective responses to negative face emotions in distinct brain networks. *Eur Neuropsychopharmacol*. 2013 May;23(5):368-78
11. Hansen HD, Ettrup A, Herth MM, Dyssegaard A, Ratner C, Gillings N, Knudsen GM. Direct comparison of [¹⁸F]MH.MZ and [¹⁸F]Altanserin for 5-HT_{2A} molecular imaging with PET. *Synapse*. 2013 Jun;67(6):328-37
12. Hansen LK, Hansen ST, Stahlhut C. Mobile real-time EEG imaging Bayesian inference with sparse, temporally smooth source priors. 2013 International Winter Workshop on Brain-Computer Interface (BCI), pp. 6-7. IEEE, 2013

13. Hansen ST, Stahlhut C, Hansen LK. Expansion of the Variational Garrote to a Multiple Measurement Vectors Model. In Proceedings of Twelfth Scandinavian Conference on Artificial Intelligence, Frontiers in Artificial Intelligence and Applications, Vol. 257, pp 105 – 114, 2013
14. Hansen ST, Stahlhut C, Hansen LK. Sparse source EEG Imaging with the Variational Garrote. 2013 International Workshop on Pattern Recognition in Neuroimaging (PRNI), pp. 106-109. IEEE, 2013
15. Herth MM, Andersen VL, Lehel S, Madsen J, Knudsen GM, Kristensen JL. Development of a ¹¹C-labeled tetrazine for rapid tetrazine-trans-cyclooctene ligation. Chem Commun (Camb). 2013 May 8;49(36):3805-7
16. Holst KK, Budtz-Joergensen E. Linear Latent Variable Models: The lava-package. Computational Statistics. 2013;28(4):1385-1452
17. Hornbøll B, Macoveanu J, Rowe J, Elliott R, Paulson OB, Siebner HR, Knudsen GM. Acute serotonin 2A receptor blocking alters the processing of fearful faces in the orbitofrontal cortex and amygdala. J Psychopharmacol. 2013 Oct;27(10):903-14
18. Haagensen AM, Klein AB, Ettrup A, Matthews LR, Sørensen DB. Cognitive performance of göttingen minipigs is affected by diet in a spatial hole-board discrimination test. PLoS One. 2013 Nov 5;8(11):e79429
19. Haahr ME, Fisher PM, Holst KK, Madsen K, Jensen CG, Marnier L, Lehel S, Baaré W, Knudsen GM, Hasselbalch SG. The 5-HT₄ receptor levels in hippocampus correlates inversely with memory test performance in humans. Human brain mapping. 2013 Nov;34(11):3066-74
20. Isberg V, Paine J, Leth-Petersen S, Kristensen JL, Gloriam DE. Structure-activity relationships of constrained phenylethylamine ligands for the serotonin 5-HT₂ receptors. PLoS One. 2013 Nov 7;8(11):e78515
21. Jensen CBF, Petersen MK, Larsen JE, Stopczynski A, Stahlhut C, Ivanova MG, Andersen T, Hansen LK. Spatio temporal media components for neurofeedback. Proceedings of 2013 IEEE International Conference on Multimedia and Expo Workshops (ICMEW), pp. 1-6. IEEE, 2013
22. Jørgensen CV, Jacobsen JP, Caron MG, Klein AB, Knudsen GM, Mikkelsen JD. Cerebral 5-HT_{2A} receptor binding, but not mGluR₂, is increased in tryptophan hydroxylase 2 decrease-of-function mice. Neurosci Lett. 2013 Oct 25;555:118-22
23. Jørgensen CV, Klein AB, El-Sayed M, Knudsen GM, Mikkelsen JD. Metabotropic glutamate receptor 2 and corticotrophin-releasing factor receptor-1 gene expression is differently regulated by BDNF in rat primary cortical neurons. Synapse. 2013 Nov;67(11):794-800
24. Kalbitzer J, Kalbitzer U, Knudsen GM, Cumming P, Heinz A. How the cerebral serotonin homeostasis predicts environmental changes: a model to explain seasonal changes of brain 5-HTT as intermediate phenotype of the 5-HTTLPR. Psychopharmacology (Berl). 2013 Dec;230(3):333-43
25. Keller SH, Svarer C, Sibomana M. Attenuation correction for the HRRT PET-scanner using transmission scatter correction and total variation regularization. IEEE Trans Med Imaging. 2013 Sep;32(9):1611-21
26. Klarborg B, Skak Madsen K, Vestergaard M, Skimminge A, Jernigan TL, Baaré WF. Sustained attention is associated with right superior longitudinal fasciculus and superior parietal white matter microstructure in children. Hum Brain Mapp. 2013 Dec;34(12):3216-32
27. Klein AB, Jennum P, Knudsen S, Gammeltoft S, Mikkelsen JD. Increased serum brain-derived neurotrophic factor (BDNF) levels in patients with narcolepsy. Neuroscience Letters. 2013 Jun 7;544:31-5
28. Kouider S, Stahlhut C, Gelskov SV, Barbosa LS, Dutat M, de Gardelle V, Christophe A, Dehaene S, Dehaene-Lambertz G. A Neural Marker of Perceptual Consciousness in Infants. Science. 2013 Apr 19;340(6130):376-80

29. Macoveanu J, Hornboll B, Elliott R, Erritzoe D, Paulson OB, Siebner H, Knudsen GM, Rowe JB. Serotonin 2A receptors, citalopram and tryptophan-depletion: a multimodal imaging study of their interactions during response inhibition. *Neuropsychopharm.* 2013 May;38(6):996-1005
30. Macoveanu J, Rowe JB, Hornboll B, Elliott R, Paulson OB, Knudsen GM, Siebner HR. Playing it safe but losing anyway-Serotonergic signaling of negative outcomes in dorsomedial prefrontal cortex in the context of risk-aversion. *Eur Neuropsychopharmacol* 2013 Aug;23(8):919-30
31. Macoveanu J, Rowe JB, Hornboll B, Elliott R, Paulson OB, Knudsen GM, Siebner HR. Serotonin 2A receptors contribute to the regulation of risk-averse decisions. *Neuroimage.* 2013 Dec;83:35-44
32. Paterson LM, Kornum B, Nutt D, Pike V, Knudsen GM. 5-HT radioligands for human brain imaging with PET and SPECT. *Med Res Rev* 2013 Jan;33(1):54-111
33. Rasmussen H, Ebdrup BH, Aggernaes B, Lublin H, Oranje B, Pinborg LH, Knudsen GM, Glenthøj B. Norquetiapine and Depressive Symptoms in Initially Antipsychotic-Naive First-Episode Schizophrenia. *J Clin Psychopharmacol.* 2013 Apr;33(2):266-269
34. Risgaard R, Ettrup A, Balle T, Dyssegaard A, Hansen HD, Lehel S, Madsen J, Pedersen H, Püschl A, Badolo L, Bang-Andersen B, Knudsen GM, Kristensen JL. Radiolabelling and PET brain imaging of the α 1-adrenoceptor antagonist Lu AE43936. *Nuclear Medicine and Biology* 2013 Jan;40(1):135-40
35. Sander CY, Hooker JM, Catana C, Normandin MD, Alpert NM, Knudsen GM, Vanduffel W, Rosen BR, Mandeville JB. Neurovascular coupling to D2/D3 receptor occupancy using simultaneous PET/functional MRI. *Proc Natl Acad Sci U S A.* 2013 Jul 2;110(27):11169-74
36. Santini MA, Ratner C, Aznar S, Klein AB, Knudsen GM, Mikkelsen JD. Enhanced prefrontal serotonin 2A receptor signaling in the subchronic PCP mouse model of schizophrenia. *Journal of Neuroscience Research.* 2013 May;91(5):634-41
37. Stahlhut C, Attias HT, Sekihara K, Wipf D, Hansen LK, Nagarajan SS. A hierarchical Bayesian M/EEG imaging method correcting for incomplete spatio-temporal priors. In *Proc. IEEE 10th International Symposium on Biomedical Imaging (ISBI)*, pp. 560-563, IEEE, 2013
38. Stopczynski A, Stahlhut C, Larsen JE, Petersen MK, Hansen LK. The Smartphone Brain Scanner: A Mobile Real-time Neuroimaging System. *I E E E Sensors Journal.* 2013.
39. Ziebell M, Andersen BB, Pinborg LH, Knudsen GM, Stockholm J, Thomsen G, Karlsborg M, Høgh P, Mørk ML, Hasselbalch SG. Striatal dopamine transporter binding does not correlate with clinical severity in dementia with Lewy bodies. *J Nucl Med.* 2013 Jul;54(7):1072-6

2012

1. Absalom N, Eghorn LF, Villumsen IS, Karim N, Bay T, Olsen JV, Knudsen GM, Bräuner-Osborne H, Frølund B, Clausen RP, Chebib M, Wellendorph P. α 4 β δ GABA(A) receptors are high-affinity targets for γ -hydroxybutyric acid (GHB). *Proc Natl Acad Sci U S A.* 2012 Aug 14;109(33):13404-9
2. Blinkenberg M, Mathiesen HK, Tscherning T, Jønsson A, Svarer C, Holm S, Sellebjerg F, Paulson OB, Hanson LG, Sorensen PS. Cerebral metabolism, magnetic resonance spectroscopy and cognitive dysfunction in early multiple sclerosis: an exploratory study. *Neurol Res.* 2012 Jan;34(1):52-8
3. Clemmensen C, Aznar S, Knudsen GM, Klein AB. The microtubule-associated protein 1A (MAP1A) is an early molecular target of soluble A β -peptide. *Cellular and Molecular Neurobiology* 2012 May;32(4):561-6
4. Fagerlund B, Pinborg LH, Mortensen EL, Friberg L, Baare WF, Gade A, Svarer C, Glenthøj BY. Relationship of frontal D2/3 binding potentials to cognition: a study of antipsychotic-naive schizophrenia patients. *Int J Neuropsychopharmacol* 2012;1-14

5. Fisher PM, Holst KK, Mc MB, Haahr ME, Madsen K, Gillings N, Baare WF, Jensen PS, Knudsen GM. 5-HTTLPR status predictive of neocortical 5-HT(4) binding assessed with [(11)C]SB207145 PET in humans. *Neuroimage*. 2012 Aug 1;62(1):130-136
6. Fisher PM, Hariri AR. Linking variability in brain chemistry and circuit function through multimodal human neuroimaging. *Genes Brain Behav*. 2012 Aug;11(6):633-42
7. Hansen, LK. Attention: A machine learning perspective. In 3rd International Workshop on Cognitive Information Processing (CIP), IEEE, p1-6. 2012
8. Hasselbalch BJ, Knorr U, Bennike B, Hasselbalch SG, Sondergaard MH, Kessing LV. Decreased levels of brain-derived neurotrophic factor in the remitted state of unipolar depressive disorder. *Acta Psychiatr Scand*. 2012 Sep;126(3):157-64
9. Herth MM, Kramer V, Gillings N, Rösch F, Knudsen GM. Direct radiofluorination of [18F]MH.MZ for 5-HT_{2A} receptor molecular imaging with PET. *J Label Compd Radiopharm* 2012; 55(9):354-358
10. Herth MM, Hansen HD, Ettrup A, Dyssegaard A, Lehel S, Kristensen J, Knudsen GM. Synthesis and evaluation of [(11)C]Cimbi-806 as a potential PET ligand for 5-HT(7) receptor imaging. *Bioorg Med Chem*. 2012 Jul 15;20(14):4574-81
11. Herth MM, Volk B, Pallagi K, Bech L, Ferenc A, Knudsen GM, Kristensen J. Synthesis and In Vitro Evaluation of Oxindole Derivatives as Potential Radioligands for 5-HT₇ Receptor Imaging with PET. *ACS Chemical Neuroscience*. 2012 Dec 19;3(12):1002-7
12. Haahr ME, Rasmussen PM, Madsen K, Marnier L, Ratner C, Gillings N, Baare WF, Knudsen GM. Obesity is associated with high serotonin 4 receptor availability in the brain reward circuitry. *Neuroimage* 2012 Jul 16;61(4):884-8
13. Jensen CG, Vangkilde S, Frokjaer V, Hasselbalch SG. Mindfulness training affects attention-Or is it attentional effort? *J Exp Psychol Gen* 2012; 141(1):106-123
14. Jensen CG, Parker A. Entangled in the womb? A pilot study on the possible physiological connectedness between identical twins with different embryonic backgrounds. *Explore (NY)*. 2012 Nov;8(6):339-47
15. Jimeno-Yepes A, Mork JG, Wilkowski B, Fushman DD, Aronson AR. MEDLINE MeSH indexing: lessons learned from machine learning and future directions. *ACM SIGHIT International Health Informatics Symposium* (pp. 5), 2012.
16. Jørgensen KW, Hansen LK. Model selection for Gaussian kernel PCA denoising. *IEEE Transactions on Neural Networks and Learning Systems*, 23:163-168, 2012
17. Keller SH, Sibomana M, Olesen OV, Svarer C, Holm S, Andersen FL, Hojgaard L. Methods for Motion Correction Evaluation Using 18F-FDG Human Brain Scans on a High-Resolution PET Scanner. *J Nucl Med* 2012; 53(3):495-504
18. Koefoed P, Wolbye DPD, Hansen TVO, Epløv LF, Christiansen SH, Mors O, Kessing LV, Werge T, Kaipio K, Pesonen U, Fahmy T, Møllerup E, Jakobsen KD, Hansen ES, Knudsen GM, Bukh JD, Bock C, Lindberg C, Kristensen AS, Dam H, Nordentoft, Merete, Als TD, Wang AG, Gether U, Rehfeld JF, Bolwig TG et al. Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. *Acta Neuropsych* 2012;24:81-90
19. Larsen JE, Stopczynski A, Stahlhut C, Petersen MK, Hansen LK. A Cross-Platform Smartphone Brain Scanner. *CHI 2012 Workshop on Personal Informatics in Practice: Improving Quality of Life Through Data*, 5-10th May 2012, Austin, Texas, USA
20. Licht CL, Christoffersen M, Okholm M, Damgaard L, Fink-Jensen A, Knudsen GM, Erritzoe D. Simultaneous polysubstance use among Danish 3,4-methylenedioxymethamphetamine and hallucinogen users: combination patterns and proposed biological bases. *Hum Psychopharmacol*. 2012 Jul;27(4):352-63

21. Madsen K, Hasselbalch BJ, Frederiksen KS, Haahr ME, Gade A, Law I, Price JC, Knudsen GM, Kessing LV, Hasselbalch SG. Lack of association between prior depressive episodes and cerebral [(11)C]PiB binding. *Neurobiol aging*. 2012 Oct;33(10):2334-42
22. Madsen KS, Jernigan TL, Iversen P, Frokjaer V, Mortensen EL, Knudsen GM, Baaré WFC. Cortisol awakening response and negative emotionality linked to asymmetry in major limbic fibre bundle architecture. *Psychiatry Research: Neuroimaging*. 2012 Jan 30;201(1):63-72
23. Madsen KS, Jernigan TL, Iversen P, Frokjaer VG, Knudsen GM, Siebner HR, Baare WF. Hypothalamic-pituitary-adrenal axis tonus is associated with hippocampal microstructural asymmetry. *Neuroimage*. 2012 Oct 15;63(1):95-103
24. Marner L, Frokjaer VG, Kalbitzer J, Lehel S, Madsen K, Baare WF, Knudsen GM, Hasselbalch SG. Loss of serotonin 2A receptors exceeds loss of serotonergic projections in early Alzheimer's disease: a combined [11C]DASB and [18F]altanserin-PET study. *Neurobiol Aging* 2012; 33(3):479-487
25. Mikkelsen JD, Rasmussen MA, Meyer M, Knudsen GM. Reprogrammering af modne celler til neuroner. *Ugeskr Laeger* 2012; 174(12):786
26. Mørup M, Hansen LK. Archetypal analysis for machine learning and data mining. *Neurocomputing* 80:54–63, 2012
27. Nielsen, FÅ, Kempton, MJ, Williams SCR. Online open neuroimaging mass meta-analysis. Extended Semantic Web Conference (ESWC2012), Heraklion, Crete, 2012
28. Pinborg LH, Feng L, Haahr ME, Gillings N, Dyssegaard A, Madsen J, Svarer C, Yndgaard S, Kjaer T, Parsey RV, Hansen HD, Ettrup A, Paulson OB, Knudsen GM. No change in [(11) C]CUMI-101 binding to 5-HT(1A) receptors after intravenous citalopram in human. *Synapse* 2012;66:880-4
29. Ratner C, Ettrup A, Bueter M, Haahr ME, Compan V, le Roux CW, Levin B, Hansen HH, Knudsen GM. Cerebral markers of the serotonergic system in rat models of obesity and after Roux-en-Y gastric bypass. *Obesity (Silver Spring)* 2012 Oct;20(10):2133-41
30. Stahlhut C, Attias HT, Stopczynski A, Petersen MK, Larsen JE, Hansen LK. An evaluation of EEG scanner's dependence on the imaging technique, forward model computation method, and array dimensionality. *Proceedings of EMBC'12. IEEE*, 2012
31. Stahlhut C, Attias HT, Wipf D, Hansen LK, Nagarajan SS. Probabilistic M/EEG Source Imaging from Sparse Spatio-Temporal Event Structure. 2nd NIPS Workshop on Machine Learning and Interpretation in Neuroimaging, (MLIMI), 7-8th December 2012, Lake Tahoe, Nevada, USA. (In conjunction with NIPS 2012, 3rd-8th December 2012)
32. Ziebell M, Khalid U, Klein AB, Aznar S, Thomsen G, Jensen P, Knudsen GM. Striatal dopamine transporter binding correlates with serum BDNF levels in patients with striatal dopaminergic neurodegeneration. *Neurobiol Aging* 2012 Feb;33(2):428.e1-5

2011

1. Abrahamsen TJ, Hansen LK. A Cure for Variance Inflation in High Dimensional Kernel Principal Component Analysis. *Journal of Machine Learning Research* 2011;12:2027-2044
2. Abrahamsen TJ, Hansen LK. Regularized Pre-Image Estimation for Kernel PCA De-Noising. Input space regularization and sparse reconstruction. *Journal of Signal Processing Systems* 2011;65(3):403-412
3. Abrahamsen TJ, Hansen LK. Sparse non-linear denoising: Generalization performance and pattern reproducibility in functional MRI. *Pattern Recognition Letters* 2011;32(15):2080-2085
4. Aznar S, Knudsen GM. Depression and Alzheimer's Disease: Is stress the initiating factor in a common neuropathological cascade? *J Alzheimers Dis*. 2011;23(2):177-93. Review
5. Dyrby TB, Baaré WFC, Alexander DC, Jelsing J, Garde E, Søggaard LV. An Ex Vivo Imaging Pipeline for Producing High-Quality and High-Resolution Diffusion-Weighted Imaging Datasets. *Human Brain Mapping*. 2011 Apr;32(4):544-63

6. Ebdrup BH, Skimminge A, Rasmussen H, Aggernaes B, Oranje B, Lublin H, Baaré W, Glenthøj B. Progressive striatal and hippocampal volume loss in initially antipsychotic-naive, first-episode schizophrenia patients treated with quetiapine: relationship to dose and symptoms. *Int J Neuropsychopharmacol* 2011;14(1):69-82
7. Erritzoe D, Frokjaer VG, Holst KK, Christoffersen M, Johansen SS, Svarer C, Madsen J, Rasmussen PM, Ramsøy T, Jernigan TL, Knudsen GM. In Vivo Imaging of Cerebral Serotonin Transporter and Serotonin_{2A} Receptor Binding in 3,4-Methylenedioxymethamphetamine (MDMA or "Ecstasy") and Hallucinogen Users. *Arch Gen Psychiatry*. 2011;68(6):562-76
8. Ettrup A, Hansen M, Santini MA, Paine J, Gillings N, Palner M, Lehel S, Herth MM, Madsen J, Kristensen J, Begtrup M, Knudsen GM. Radiosynthesis and in vivo evaluation of a series of substituted (11)C-phenethylamines as 5-HT (2A) agonist PET tracers. *Eur J Nucl Med Mol Imaging*. 2011 Apr;38(4):681-93
9. Ettrup A, Kornum B, Weikop P, Knudsen GM. An approach for serotonin depletion in pigs: Effects on serotonin receptor binding. *Synapse* 2011;65(2):136-45
10. Ettrup A, Mikkelsen JD, Lehel S, Madsen J, Nielsen EØ, Palner M, Timmermann DB, Peters D, Knudsen GM. ¹¹C-NS14492 as a novel PET radioligand for imaging cerebral α 7 nicotinic acetylcholine receptors: in vivo evaluation and drug occupancy measurements. *J Nucl Med*. 2011 Sep;52(9):1449-56
11. Hansen LK, Karadogan SG, Marchegiani L. What to measure next to improve decision making? - On topdown task driven feature saliency. *IEEE Symposium on Computational Intelligence, CCMB Cognitive Algorithms, Mind, and Brain*: pp. 81-87. 2011
12. Jennings KA, Licht CL, Bruce A, Lesch KP, Knudsen GM, Sharp T. Genetic variation in 5-hydroxytryptamine transporter expression causes adaptive changes in 5-HT₄ receptor levels. *Int J Neuropsychopharmacol* 2011;1-9.
13. Jernigan TL, Baaré WF, Stiles J, Madsen KS. Postnatal brain development: structural imaging of dynamic neurodevelopmental processes. *Prog Brain Res*. 2011;189:77-92. Review.
14. Jimeno-Yepes A, Wilkowski B, Mork JG, Lenten EV, Fushman DD, Aronson AR. A bottom-up approach to MEDLINE indexing recommendations. *American Medical Informatics Association Annual Symposium (1583-1592)*, 2011.
15. Klein AB, Williamson R, Santini MA, Clemmensen C, Ettrup A, Rios M, Knudsen GM, Aznar S. Blood BDNF concentrations reflect brain tissue BDNF levels across species. *The International Journal of Neuropsychopharmacology*. 2011 Apr;14(3):347-53.
16. Kornum BR, Knudsen GM. Cognitive testing of pigs (Sus scrofa) in translational biobehavioral research. *Neurosci Biobehav Rev* 2011;35(3):437-51.
17. Kupers R, Frokjaer V, Erritzoe D, Naert A, Budtz-Joergensen E, Nielsen FA, Kehlet H, Knudsen GM. Serotonin transporter binding in the hypothalamus correlates negatively with tonic heat pain ratings in healthy subjects: a [¹¹C]DASB PET study. *Neuroimage* 2011;54(2):1336-43.
18. Liu X, Cannon DM, Akula N, Moya PR, Knudsen GM, Arentzen TE, Steele J, Laje G, Drevets WC, McMahon FJ. A non-synonymous polymorphism in galactose mutarotase (GALM) is associated with serotonin transporter binding potential in the human thalamus: results of a genome-wide association study. *Mol Psychiatry* 2011; 16(6):584-585.
19. Lou AR, Madsen KH, Paulson OB, Julian HO, Prause JU, Siebner HR, Kjaer TW. Monocular Visual Deprivation Suppresses Excitability in Adult Human Visual Cortex. *Cereb Cortex* 2011.
20. Lund H, Jonsson A, Andresen J, Rostrup E, Paulson OB, Sorensen PS. Cognitive deficits in multiple sclerosis: correlations with T2 changes in normal appearing brain tissue. *Acta Neurol Scand* 2011.
21. Madsen J, Elfving B, Frøkjær VG, Kornum BR, Thomsen G, Martiny L, Knudsen GM. Synthesis and Biological Evaluation of ¹²⁵I/¹²³I-Labelled Analogues of Citalopram and Escitalopram as Potential Radioligands for Imaging of the Serotonin Transporter. *Journal of Labelled Compounds and Radiopharmaceuticals* 2011 Apr;54(4):185-190.
22. Madsen K, Erritzøe D, Mortensen E, Gade A, Madsen J, Baaré WF, Knudsen GM, Hasselbalch SG. Cognitive Function is Related to Fronto-striatal Serotonin Transporter Levels - A Brain PET Study in Young Healthy Subjects. *Psychopharmacology (Berl)*. 2011 Feb;213(2-3):573-81.

23. Madsen K, Haahr M, Marner L, Keller SH, Baaré W, Svarer C, Hasselbalch SG, Knudsen GM. Age and Sex Effects on 5-HT₄ Receptors in the Human Brain – A [¹¹C]SB207145 PET Study. *Journal of Cerebral Blood Flow & Metabolism* 2011 Jun;31(6):1475-81.
24. Madsen K, Marner L, Haahr M, Gillings N, Knudsen GM. Mass dose effects and in vivo affinity in brain PET receptor studies – a study of cerebral 5-HT₄ receptor binding with [(11)C]SB207145. *Nucl Med Biol.* 2011 Nov;38(8):1085-91.
25. Madsen K, Neumann WJ, Holst K, Marner L, Haahr MT, Lehel S, Knudsen GM, Hasselbalch SG. Cerebral serotonin 4 receptors and amyloid- β in early Alzheimer's disease. *J Alzheimers Dis.* 2011;26(3):457-66.
26. Madsen KS, Baaré WF, Skimminge A, Vestergaard M, Siebner HR, Jernigan TL. Brain microstructural correlates of visuospatial choice reaction time in children. *Neuroimage.* 2011 Oct 15;58(4):1090-100.
27. Marner L, Knudsen GM, Madsen K, Holm S, Baaré W, Hasselbalch SG. The reduction of Baseline Serotonin 2A Receptors in Mild Cognitive Impairment is stable at Two-year Follow-up. *J Alzheimers Dis.* 2011 Jan 1;23(3):453-9.
28. Nejad AB, Ebdrup BH, Siebner HR, Rasmussen H, Aggernæs B, Glenthøj BY, Baaré WF. Impaired temporoparietal deactivation with working memory load in antipsychotic-naïve patients with first-episode schizophrenia. *World J Biol Psychiatry.* 2011 Jun;12(4):271-81.
29. Palner M, Underwood M, Kumar D, Arango V, Knudsen GM, John J, Mann, Parsey RV. Ex vivo evaluation of the serotonin 1A receptor partial agonist [(3)H]CUMI-101 in awake rats. *Synapse.* 2011 Aug;65(8):715-23.
30. Palner M, Kjaerby C, Knudsen GM, Cummings P. Effects of unilateral 6-OHDA lesion on [3H]NPA binding in striatum ex vivo, and vulnerability to amphetamine-evoked dopamine release in rat. *Neurochem Int.* 2011 Feb;58(3):243-7.
31. Petersen MK, Stahlhut C, Stopczynski A, Larsen JE, Hansen LK. Smartphones get emotional: mind reading images and reconstructing the neural sources. *ACII* 2011.
32. Rasmussen H, Erritzøe D, Ebdrup B, Aggernaes B, Oranje B, Kalbitzer J, Madsen J, Pinborg L, Baaré W, Svarer C, Lublin H, Knudsen G, Glenthøj B. Serotonin_{2A} receptor blockade and clinical effect in first-episode schizophrenia patients treated with quetiapine. *Psychopharmacology (Berl).* 2011 Feb;213(2-3):583-92.
33. Rasmussen PM, Madsen KH, Lund TE, Hansen LK. Visualization of nonlinear kernel models in neuroimaging by sensitivity maps. *Neuroimage.* 2011 Apr 1;55(3):1120-31.
34. Santini MA, Klein AB, El-Sayed M, Ratner C, Knudsen GM, Mikkelsen JD, Aznar S. Novelty-induced activity-regulated cytoskeletal-associated protein (Arc) expression in frontal cortex requires serotonin 2A receptor activation. *Neuroscience* 2011; 190:251-257.
35. Stahlhut C, Mørup M, Winther O, Hansen LK. Simultaneous EEG Source and Forward Model Reconstruction (SOFOMORE) using a Hierarchical Bayesian Approach. *Journal of Signal Processing Systems.* 2011;65(3):431-444.
36. Stopczynski A, Larsen JE, Stahlhut C, Petersen MK, Hansen LK. A smartphone interface for a wireless EEG headset with real-time 3D reconstruction. *ACII* 2011.
37. Vestergaard M, Madsen KS, Baaré WF, Skimminge A, Ejersbo LR, Ramsøy TZ, Gerlach C, Akeson P, Paulson OB, Jernigan TL. White Matter Microstructure in Superior Longitudinal Fasciculus Associated with Spatial Working Memory Performance in Children. *J Cogn Neurosci.* 2011 Sep;23(9):2135-46.
38. Wilkowski B, Fiszman M, Miller CM, Hristovski D, Arabandi S, Rosemblat G, Rindfleisch TC. Graph-Based Methods for Discovery Browsing with Semantic Predications. *American Medical Informatics Association Annual Symposium (1514-1523),* 2011.

2010

1. Abrahamsen TJ, Hansen LK. Regularized Pre-image Estimation for Kernel PCA De-noising Input Space Regularization and Sparse Reconstruction. *Journal of Signal Processing Systems* 2010(61), Springer New York.

2. Aznar S, Klein AB, Santini MA, Knudsen GM, Henn F, Gass P, Vollmayr B. Aging and depression vulnerability interaction results in decreased serotonin innervation associated with reduced BDNF levels in hippocampus of rats bred for learned helplessness. *Synapse* 2010a; 64(7):561-565.
3. Baare WF, Vinberg M, Knudsen GM, Paulson OB, Langkilde AR, Jernigan TL, Kessing LV. Hippocampal volume changes in healthy subjects at risk of unipolar depression. *J Psychiatr Res.* 2010;44(10):655-662.
4. Benveniste H, Fowler JS, Rooney WD, Scharf BA, Backus WW, Izrailtyan I, Knudsen GM, Hasselbalch SG, Volkow ND. Cocaine is pharmacologically active in the nonhuman primate fetal brain. *Proc Natl Acad Sci U S A* 2010; 107(4):1582-1587.
5. Ebdrup BH, Glenthøj B, Rasmussen H, Aggernaes B, Langkilde AR, Paulson OB, Lublin H, Skimminge A, Baare W. Hippocampal and caudate volume reductions in antipsychotic-naive first-episode schizophrenia. *J Psychiatry Neurosci* 2010; 35(2):95-104.
6. Erritzoe D., Holst K., Frokjaer V.G., Licht C.L., Kalbitzer J. Nielsen F.Aa., Svarer C., Madsen J., Knudsen G.M. A non-linear relationship between cerebral serotonin transporter and 5-HT_{2A} receptor binding: An in vivo molecular imaging study in humans. *J Neurosci.* 2010 Mar 3;30(9):3391-7.
7. Erritzøe D, Frøkjær VG, Haahr MT, Kalbitzer J, Svarer C, Holst KK, Hansen DL, Jernigan T, Lehel S. Cerebral serotonin transporter binding is inversely related to body mass index. *Neuroimage* 2010b;1;52(1):284-9.
8. Ettrup A, Palner M, Gillings N, Santini MA, Hansen M, Kornum BR, Rasmussen LK, Någren K, Madsen J, Begtrup M, Knudsen GM. Radiosynthesis and evaluation of [¹¹C]Cimbi-5 as a 5-HT_{2A} receptor agonist radioligand for PET. *J Nucl Med* 2010a;51(11):1763-70.
9. Frokjaer VG, Vinberg M, Erritzoe D, Baare W, Holst KK, Mortensen EL, Arfan H, Madsen J, Jernigan TL, Kessing LV, Knudsen GM. Familial Risk for Mood Disorder and the Personality Risk Factor, Neuroticism, Interact in Their Association with Frontolimbic Serotonin 2A Receptor Binding. *Neuropsychopharmacology.* 2010a; 35(5):1129-1137.
10. Frokjaer VG, Erritzøe D, Juul A, Nielsen FA, Holst K, Svarer C, Madsen J, Paulson OB, Knudsen GM. Endogenous plasma estradiol in healthy men is positively correlated with cerebral cortical serotonin 2A receptor binding. *Psychoneuroendocrinology.* 2010b;35(9):1311-20.
11. Holm P, Ettrup A, Klein AB, Santini MA, El-Sayed M, Elvang AB, Stensbøl TB, Mikkelsen JD, Knudsen GM, Aznar S. Plaque deposition dependent decrease in 5-HT_{2A} serotonin receptor in APP^{swe}/PS1dE9 amyloid overexpressing mice. *J Alzheimers Dis* 2010;1;20(4):1201-13.
12. Kalbitzer J, Erritzøe D, Holst KK, Nielsen FA, Marner L, Lehel S, Arentzen T, Jernigan TL, Knudsen GM. Seasonal changes in brain serotonin transporter binding in short 5-HTTLPR-allele carriers but not in long-allele homozygotes. *Biol Psych* 2010;67(11):1033-9.
13. Klein AB, Trajkovska V, Erritzøe D, Haugbøl S, Madsen J, Baaré W, Aznar S, Knudsen GM. Cerebral 5-HT_{2A} receptor and serotonin transporter binding in humans are not affected by the val66met BDNF polymorphism status or blood BDNF levels. *J Cereb Blood Flow Metab* 2010b;30(11):e1-7.
14. Klein AB, Santini M, Aznar S, Knudsen GM, Rios M. Changes in 5-HT(2A)-mediated behavior and 5-HT(2A)- and 5-HT(1A) receptor binding and expression in conditional brain-derived neurotrophic factor knock-out mice. *Neuroscience* 2010c;169(3):1007-1016.
15. Koefoed P, Woldby DPD, Hansen TO, Hansen ES, Knudsen GM, Bolwig TG, Rehfeld JF. Gene variations in the cholecystokinin system in patients with panic disorder. *Psychiatr Genet* 2010;20(2):59-64.
16. Kornum BR, Stott SRW, Mattsson B, Wisman L, Ettrup A, Hermening A, Knudsen GM and Kirik D. Adeno-associated viral vector serotypes 1 and 5 targeted to the neonatal rat and pig striatum induce widespread transgene expression in the forebrain. *Experimental Neurology* 2010; 222(1):70-85.
17. Koziorowski J, Larsen P, Gillings N. A quartz-lined carbon-11 target: striving for increased yield and specific activity. *Nucl Med Biol.* 2010;37(8):943-8.
18. Kramer V, Herth MM, Santini MA, Palner M, Knudsen GM, Rösch F. Structural combination of established 5-HT_{2A} receptor ligands: New aspects of binding mode. *Chem Biol Drug Des.* 2010;76(4):361-6.

19. Licht CL, Kirkegaard L, Zueger M, Chourbaji S, Gass P, Aznar S, Knudsen GM. Changes in 5-HT(4) receptor and 5-HT transporter binding in olfactory bulbectomized and glucocorticoid receptor heterozygous mice. *Neurochem Int* 2010; 56(4):603-610.
20. Licht CL, Knudsen GM, Sharp T. Effects of the 5-HT4 receptor agonist RS67333 and paroxetine on hippocampal extracellular 5-HT levels. *Neuroscience Letters*. 2010;476(2):58-61.
21. Madsen KS, Baare WF, Vestergaard M, Skimminge A, Ejersbo LR, Ramsøy TZ, Gerlach C, Akeson P, Paulson OB, Jernigan TL. Response inhibition is associated with white matter microstructure in children. *Neuropsychologia*. 2010; 48(4):854-862.
22. Marnier L, Gillings N, Madsen K, Erritzoe D, Baare WF, Svarer C, Hasselbalch SG, Knudsen GM. Brain Imaging of Serotonin 4 Receptors in Humans with [(11)C]SB207145-PET. *Neuroimage*. 2010; 50(3):855-861.
23. Mikkelsen JD, Thomsen MS, Hansen H, Lichota J. Use of biomarkers in discovery of novel anti-schizophrenia drugs. *Drug Discov Today* 2010; 15(3-4):137-141.
24. Mørup M, Madsen KH, Dogonowski AM, Siebner H, Hansen LK. Infinite Relational Modeling of Functional Connectivity in Resting State fMRI. *Proc. Neural Information Processing Systems 2010*, 2010.
25. Nielsen FÅ. A fielded wiki for personality genetics. *Proceedings of the 6th International Symposium on Wikis and Open Collaboration WikiSym'10*. Gdansk, Poland. ACM New York, NY, USA 2010; 16:1-2
26. Palner M, McCormick P, Gillings N, Rasmussen LK, Begtrup MWAA, Knudsen GM. Radiosynthesis and ex vivo evaluation of (R)-(-)-2-chloro-N-[1-11C-propyl]n-propylnorapomorphine. *Nucl Med Biol* 2010; 37(1):35-40.
27. Palner M, McCormick P, Parkes J, Knudsen GM, Wilson AA. Systemic catechol-O-methyl transferase inhibition enables the D1 agonist radiotracer R-[11C]SKF 82957. *Nucl Med Biol* 2010;37(7):837-43.
28. Paulson OB, Hasselbalch SG, Rostrup E, Knudsen GM, Pelligrino D. Cerebral blood flow response to functional activation. *J Cereb Blood Flow Metab* 2010; 30(1):2-14.
29. Paterson LM, Tyacke RJ, Nutt DJ, Knudsen GM. Measuring endogenous 5-HT release by emission tomography: promises and pitfalls. *J Cereb Blood Flow Metab* 2010;30(10):1682-706.
30. Prabhakaran J, Majo JM, Milak MS, Kassir SA, Palner M, Savenkova L, Mali P, Arango V, Mann JJ, Parsey RV. Synthesis, in vitro and in vivo evaluation of [11C]MMTP: A potential PET ligand for mGluR1 receptors. *Bioorg Med Chem Lett* 2010;20(12):3499-501.
31. Rasmussen H, Erritzoe D, Andersen R, Ebdrup BH, Aggernaes B, Oranje B, Kalbitzer J, Madsen J, Pinborg LH, Baare W, Svarer C, Lublin H, Knudsen GM, Glenthøj B. Decreased frontal serotonin2A receptor binding in antipsychotic-naive patients with first-episode schizophrenia. *Arch Gen Psychiatry* 2010; 67(1):9-16.
32. Stahlhut C, Attias HT, Wipf D, Hansen LK, Nagarajan SS. Sparse spatio-temporal inference of electromagnetic brain sources. *Proc. Machine Learning in Medical Imaging (MLMI), Lecture Notes in Computer Science. (LNCS)* 2010;6357:157-164.
33. Vinberg M, Froekjaer VG, Kessing LV. Coping styles in healthy individuals at risk of affective disorder. *J Nerv Ment Dis* 2010; 198(1):39-44.
34. Wellendorph P, Høg S, Sabbatini P, Pedersen MH, Martiny L, Knudsen GM, Frølund B, Clausen RP, Bräuner-Osborne H. Novel radioiodinated {gamma}-hydroxybutyric acid analogues for radiolabeling and Photolinking of high-affinity {gamma}-hydroxybutyric acid binding sites. *J Pharmacol Exp Ther*. 2010;335(2):458-64.
35. Wilkowski B, Szewczyk M, Rasmussen PM, Hansen LK, Nielsen FA. BredeQuery: Coordinate-Based Metaanalytic Search of Neuroscientific Literature from the SPM Environment. *Proc. Biomedical Engineering Systems and Technologies Communications in Computer and Information Science*. 2010;52(4):314-324.
36. Yourganov G, Schmah T, Small SL, Rasmussen PM, Strother SC. Functional connectivity metrics during stroke recovery. *Arch Ital Biol*. 2010;148(3):259-70.

37. Ziebell M, Pinborg LH, Thomsen G, de Nijs R, Svarer C, Wagner A, Knudsen GM. MRI-guided region-of-interest delineation is comparable to manual delineation in dopamine transporter SPECT quantification in patients: a reproducibility study. *J Nucl Med Technol* 2010;38(2):61-8.
38. Ziebell M, Holm-Hansen S, Thomsen G, Jensen P, Wagner A, Knudsen GM. Serotonin transporters in dopamine transporter imaging: A head-to-head comparison of dopamine transporter SPECT radioligands [¹²³I]FP-CIT and [¹²³I]PE2I. *J Nucl Med* 2010;51(12):1885-91.

2009

1. Erritzoe D, Frokjaer VG, Haugbol S, Marner L, Svarer C, Holst K, Baaré WF, Rasmussen PM, Madsen J, Paulson OB, Knudsen GM. Brain serotonin 2A receptor binding: relations to body mass index, tobacco and alcohol use. *Neuroimage*. 2009 May 15;46(1):23-30.
2. Frokjaer VG, Erritzoe D, Madsen J, Paulson OB, Knudsen GM. Gender and the use of hormonal contraception in women are not associated with cerebral cortical 5-HT 2A receptor binding. *Neuroscience* 2009 Oct 6;163(2):640-5.
3. Frokjaer VG, Vinberg M, Erritzoe D, Svarer C, Baare W, Budtz-Joergensen E, Madsen K, Madsen J, Kessing LV, Knudsen GM. High familial risk for mood disorder is associated with low dorsolateral prefrontal cortex serotonin transporter binding. *Neuroimage* 2009 Jun;46(2):360-6.
4. Gillings N. A restricted access material for rapid analysis of [(11)C]-labeled radiopharmaceuticals and their metabolites in plasma. *Nucl Med Biol* 2009 Nov;36(8):961-5.
5. Gongvatana A, Schweinsburg BC, Taylor MJ, Theilmann RJ, Letendre SL, Alhassoon OM, Jacobus J, Woods SP, Jernigan TL, Ellis RJ, Frank LR, Grant I. White matter tract injury and cognitive impairment in human immunodeficiency virus-infected individuals. *J Neurovirol* 2009 Apr;15(2):187-95.
6. Herth MM, Kramer V, Piel M, Palner M, Riss PJ, Knudsen GM, Rosch F. Synthesis and in vitro affinities of various MDL 100907 derivatives as potential 18F-radioligands for 5-HT_{2A} receptor imaging with PET. *Bioorg Med Chem* 2009 Apr 15;17(8):2989-3002.
7. Kalbitzer J, Frokjaer VG, Erritzoe D, Svarer C, Cumming P, Nielsen FA, Hashemi SH, Baare WF, Madsen J, Hasselbalch SG, Kringelbach ML, Mortensen EL, Knudsen GM. The personality trait openness is related to cerebral 5-HTT levels. *Neuroimage* 2009 Apr 1;45(2):280-5.
8. Kalbitzer J, Svarer C, Frokjaer VG, Erritzoe D, Baare WF, Madsen J, Hasselbalch SG, Knudsen GM. A Probabilistic Approach to Delineating Functional Brain Regions. *J Nucl Med Technol* 2009 Jun;37(2):91-5.
9. Knorr U, Vinberg M, Klose M, Feldt-Rasmussen U, Hilsted L, Gade A, Haastrup E, Paulson O, Wetterslev J, Gluud C, Gether U, Kessing L. Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. *Trials* 2009;10:66.
10. Knudsen GM. Testing for radioligand sensitivity to endogenous neurotransmitter release. *Eur J Nucl Med Mol Imaging* 2009 Jan 27;36:472-4.
11. Kornum BR, Lind NM, Gillings N, Marner L, Andersen F, Knudsen GM. Evaluation of the novel 5-HT₄ receptor PET ligand [¹¹C]SB207145 in the Gottingen minipig. *J Cereb Blood Flow Metab* 2009 Jan;29(1):186-96.
12. Kupers R, Frokjaer VG, Naert A, Christensen R, Budtz-Joergensen E, Kehlet H, Knudsen GM. A PET [¹⁸F]altanserin study of 5-HT_{2A} receptor binding in the human brain and responses to painful heat stimulation. *Neuroimage* 2009 Feb 1;44(3):1001-7.
13. Kupers R, Schneider FC, Christensen R, Naert A, Husted H, Paulson OB, Kehlet H. No evidence for generalized increased postoperative responsiveness to pain: a combined behavioral and serial functional magnetic resonance imaging study. *Anesth Analg* 2009 Aug;109(2):600-6.
14. Lehel S, Madsen J, Gillings N. HPLC methods for the purification of [¹¹C]-labelled radiopharmaceuticals: reversal of the retention of products and precursors. *J Label Compd Radiopharm* 2009;52:177-81.

15. Licht CL, Marcussen AB, Wegener G, Overstreet DH, Aznar S, Knudsen GM. The brain 5-HT₄ receptor binding is down-regulated in the Flinders Sensitive Line depression model and in response to paroxetine administration. *J Neurochem* 2009 Jun;109(5):1363-74.
16. Marner L, Gillings N, Comley RA, Baare WF, Rabiner EA, Wilson AA, Houle S, Hasselbalch SG, Svarer C, Gunn RN, Laruelle M, Knudsen GM. Kinetic Modeling of ¹¹C-SB207145 Binding to 5-HT₄ Receptors in the Human Brain In Vivo. *J Nucl Med* 2009 Jun;50(6):900-8.
17. Marner L, Knudsen GM, Haugbol S, Holm S, Baare W, Hasselbalch SG. Longitudinal assessment of cerebral 5-HT_{2A} receptors in healthy elderly volunteers: an [¹⁸F]-altanserin PET study. *Eur J Nucl Med Mol Imaging* 2009 Feb;36(2):287-93.
18. Nielsen FA. Lost in localization: a solution with neuroinformatics 2.0? *Neuroimage* 2009 Oct 15;48(1):11-3.
19. Nielsen FA. Visualizing data mining results with the brede tools. *Front Neuroinformatics* 2009;3:26.1-12.
20. Nielsen TR, Kornum BR, Moustgaard A, Gade A, Lind NM, Knudsen GM. A novel spatial Delayed Non-Match to Sample (DNMS) task in the Gottingen minipig. *Behav Brain Res* 2009 Jan 3;196(1):93-8.
21. Panizzon MS, Fennema-Notestine C, Eyler LT, Jernigan TL, Prom-Wormley E, Neale M, Jacobson K, Lyons MJ, Grant MD, Franz CE, Xian H, Tsuang M, Fischl B, Seidman L, Dale A, Kremen WS. Distinct genetic influences on cortical surface area and cortical thickness. *Cereb Cortex* 2009 Nov;19(11):2728-35.
22. Ramsøy TZ, Liptrot MG, Skimminge A, Lund TE, Sidaros K, Christensen MS, Baare W, Paulson OB, Jernigan TL. Regional activation of the human medial temporal lobe during intentional encoding of objects and positions. *Neuroimage* 2009 Oct 1;47(4):1863-72.
23. Syvanen S, Lindhe O, Palner M, Kornum BR, Rahman O, Langstrom B, Knudsen GM, Hammarlund-Udenaes M. Species differences in blood-brain barrier transport of three positron emission tomography radioligands with emphasis on p-glycoprotein transport. *Drug Metab Dispos* 2009 Mar;37(3):635-43.
24. Thomsen MS, Christensen DZ, Hansen HH, Redrobe JP, Mikkelsen JD. alpha(7) Nicotinic acetylcholine receptor activation prevents behavioral and molecular changes induced by repeated phencyclidine treatment. *Neuropharmacology* 2009 May;56(6-7):1001-9.
25. Trajkovska V, Kirkegaard L, Krey G, Marcussen AB, Thomsen MS, Chourbaji S, Brandwein C, Ridder S, Halldin C, Gass P, Knudsen GM, Aznar S. Activation of glucocorticoid receptors increases 5-HT_{2A} receptor levels. *Exp Neurol* 2009 Jul;218(1):83-91.
26. Trajkovska V, Santini MA, Marcussen AB, Thomsen MS, Hansen HH, Mikkelsen JD, Arneberg L, Kokaia M, Knudsen GM, Aznar S. BDNF downregulates 5-HT(2A) receptor protein levels in hippocampal cultures. *Neurochem Int* 2009 Dec;55(7):697-702.
27. Vinberg M, Trajkovska V, Bennike B, Knorr U, Knudsen GM, Kessing LV. The BDNF Val66Met polymorphism: relation to familiar risk of affective disorder, BDNF levels and salivary cortisol. *Psychoneuroendocrinology* 2009 Oct;34(9):1380-9.
28. Wilkowski B, Szewczyk MM, Rasmussen PM, Hansen LK, Nielsen FA. Coordinate-based meta-analytic search for the SPM neuroimaging pipeline - The BredeQuery plugin for SPM5. *Healthinf* 2009;11-7.

2008

1. Arnfred SM, Hansen LK, Parnas J, Morup M. Regularity increases middle latency evoked and late induced beta brain response following proprioceptive stimulation. *Brain Res* 2008 Jul 7;1218:114-31.
2. Christensen R, Marcussen AB, Wortwein G, Knudsen GM, Aznar S. Abeta(1-42) injection causes memory impairment, lowered cortical and serum BDNF levels, and decreased hippocampal 5-HT(2A) levels. *Exp Neurol* 2008 Mar;210(1):164-71.
3. Erritzoe D, Rasmussen H, Kristiansen KT, Frokjaer VG, Haugbol S, Pinborg L, Baare W, Svarer C, Madsen J, Lublin H, Knudsen GM, Glenthøj BY. Cortical and subcortical 5-HT_{2A} receptor binding in neuroleptic-naive first-episode schizophrenic patients. *Neuropsychopharmacology* 2008 Sep;33(10):2435-41.

4. Frokjaer VG, Pinborg LH, Madsen J, de NR, Svarer C, Wagner A, Knudsen GM. Evaluation of the Serotonin Transporter Ligand 123I-ADAM for SPECT Studies on Humans. *J Nucl Med* 2008 Feb;49(2):247-54.
5. Frokjaer VG, Mortensen EL, Nielsen FA, Haugbol S, Pinborg LH, Adams KH, Svarer C, Hasselbalch SG, Holm S, Paulson OB, Knudsen GM. Frontolimbic serotonin 2A receptor binding in healthy subjects is associated with personality risk factors for affective disorder. *Biol Psychiatry* 2008 Mar 15;63(6):569-76.
6. Hansen HH, Waroux O, Seutin V, Jentsch TJ, Aznar S, Mikkelsen JD. Kv7 channels: interaction with dopaminergic and serotonergic neurotransmission in the CNS. *J Physiol* 2008 Apr 1;586(7):1823-32.
7. Hasselbalch SG, Madsen K, Svarer C, Pinborg LH, Holm S, Paulson OB, Waldemar G, Knudsen GM. Reduced 5-HT(2A) receptor binding in patients with mild cognitive impairment. *Neurobiol Aging* 2008 Dec;29(12):1830-8.
8. Herth MM, Debus F, Piel M, Palner M, Knudsen GM, Luddens H, Rosch F. Total synthesis and evaluation of [18F]MHMZ. *Bioorg Med Chem Lett* 2008 Feb 15;18(4):1515-9.
9. Jacobsen DJ, Hansen LK, Madsen KH. Bayesian model comparison in nonlinear BOLD fMRI hemodynamics. *Neural Comput* 2008 Mar;20(3):738-55.
10. Jacobsen JP, Weikop P, Hansen HH, Mikkelsen JD, Redrobe JP, Holst D, Bond CT, Adelman JP, Christophersen P, Mirza NR. SK3 K⁺ channel-deficient mice have enhanced dopamine and serotonin release and altered emotional behaviors. *Genes Brain Behav* 2008 Nov;7(8):836-48.
11. Morup M, Hansen LK, Arnfred SM. Algorithms for sparse nonnegative Tucker decompositions. *Neural Comput* 2008 Aug;20(8):2112-31.
12. Morup M, Hansen LK, Arnfred SM, Lim LH, Madsen KH. Shift-invariant multilinear decomposition of neuroimaging data. *Neuroimage* 2008 Oct 1;42(4):1439-50.
13. Nielsen AB, Hansen LK. Structure learning by pruning in independent component analysis. *Neurocomputing* 2008 Jun;71(10-12):2281-90.
14. Nielsen FA. Clustering of scientific citations in Wikipedia. In *Proc. Wikimania 2008*.
15. Overgaard M, Gallagher S, Ramsay TZ. An Integration of First-Person Methodologies in Cognitive Science. *Journal of Consciousness Studies* 2008;14(5):100-20.
16. Pinborg LH, Arfan H, Haugbol S, Kyvik KO, Hjelmberg JV, Svarer C, Frokjaer VG, Paulson OB, Holm S, Knudsen GM. The 5-HT_{2A} receptor binding pattern in the human brain is strongly genetically determined. *Neuroimage* 2008 Apr 15;40(3):1175-80.
17. Rasmussen P.V., Morup M, Hansen LK, Arnfred SM. Model Order Estimation for Independent Component Analysis of EPOCHED EEG Signals. In *Proc. BIOSIGNALS 2008* (2) p. 3-10.
18. Trajkovska V, Vinberg M, Aznar S, Knudsen GM, Kessing LV. Whole blood BDNF levels in healthy twins discordant for affective disorder: association to life events and neuroticism. *J Affect Disord* 2008 May;108(1-2):165-9.
19. Wilkowski B, Pereira ONM, Dias P, Castro M, Janicki M. MIAWARE Software: 3D Medical Image Analysis with Automated Reporting Engine and Ontology-based Search. In *Proc. HEALTHINF 2008* p. 201-6.

2007

1. Dyrby TB, Sogaard LV, Parker GJ, Alexander DC, Lind NM, Baare WF, Hay-Schmidt A, Eriksen N, Pakkenberg B, Paulson OB, Jelsing J. Validation of in vitro probabilistic tractography. *Neuroimage* 2007 Oct 1;37(4):1267-77.
2. Elfving B, Madsen J, Knudsen GM. Neuroimaging of the serotonin reuptake site requires high-affinity ligands. *Synapse* 2007 Nov;61(11):882-8.
3. Gerlach C. A review of functional imaging studies on category specificity. *J Cogn Neurosci* 2007 Feb;19(2):296-314.
4. Hansen LK. Multivariate strategies in functional magnetic resonance imaging. *Brain Lang* 2007 Aug;102(2):186-91.

5. Hasselbalch SG, Hansen ES, Jakobsen TB, Pinborg LH, Lonborg JH, Bolwig TG. Reduced midbrain-pons serotonin transporter binding in patients with obsessive-compulsive disorder. *Acta Psychiatr Scand* 2007 May;115(5):388-94.
6. Haugbol S, Pinborg LH, Regeur L, Hansen ES, Bolwig TG, Nielsen FA, Svarer C, Skovgaard LT, Knudsen GM. Cerebral 5-HT_{2A} receptor binding is increased in patients with Tourette's syndrome. *Int J Neuropsychopharmacol* 2007 Apr;10(2):245-52.
7. Haugbol S, Pinborg LH, Arfan HM, Frokjaer VM, Madsen J, Dyrby TB, Svarer C, Knudsen GM. Reproducibility of 5-HT_{2A} receptor measurements and sample size estimations with [18F]altanserin PET using a bolus/infusion approach. *Eur J Nucl Med Mol Imaging* 2007 Jun;34(6):910-5.
8. Innis RB, Cunningham VJ, Delforge J, Fujita M, Gjedde A, Gunn RN, Holden J, Houle S, Huang SC, Ichise M, Iida H, Ito H, Kimura Y, Koeppe RA, Knudsen GM, Knuuti J, Lammertsma AA, Laruelle M, Logan J, Maguire RP, Mintun MA, Morris ED, Parsey R, Price JC, Slifstein M, Sossi V, Suhara T, Votaw JR, Wong DF, Carson RE. Consensus nomenclature for in vivo imaging of reversibly binding radioligands. *J Cereb Blood Flow Metab* 2007 Sep;27(9):1533-9.
9. Kornum BR, Thygesen KS, Nielsen TR, Knudsen GM, Lind NM. The effect of the inter-phase delay interval in the spontaneous object recognition test for pigs. *Behav Brain Res* 2007 Aug 6;181(2):210-7.
10. Nielsen FA. Scientific citations in Wikipedia. *First Monday* 2007;12(8).
11. Olling JD, Ulrichsen J, Haugbol S, Glenthoj B, Hemmingsen R, Woldbye DP. Decreased gene expression of neuropeptide Y and its receptors in hippocampal regions during ethanol withdrawal in rats. *Neurosci Lett* 2007 Sep 13;424(3):160-4.
12. Pinborg LH, Videbaek C, Ziebell M, Mackeprang T, Friberg L, Rasmussen H, Knudsen GM, Glenthoj BY. [123I]epidepride binding to cerebellar dopamine D₂/D₃ receptors is displaceable: implications for the use of cerebellum as a reference region. *Neuroimage* 2007 Feb 15;34(4):1450-3.
13. Rowe JB, Sakai K, Lund TE, Ramsøy T, Christensen MS, Baare WF, Paulson OB, Passingham RE. Is the prefrontal cortex necessary for establishing cognitive sets? *J Neurosci* 2007 Nov 28;27(48):13303-10.
14. Severino M, Pedersen AF, Trajkovska V, Christensen E, Lohals R, Veng LM, Knudsen GM, Aznar S. Selective immunolesion of cholinergic neurons leads to long-term changes in 5-HT_{2A} receptor levels in hippocampus and frontal cortex. *Neurosci Lett* 2007 Nov 20;428(1):47-51.
15. Starrfelt R, Gerlach C. The visual what for area: words and pictures in the left fusiform gyrus. *Neuroimage* 2007 Mar;35(1):334-42.
16. Trajkovska V, Marcussen AB, Vinberg M, Hartvig P, Aznar S, Knudsen GM. Measurements of brain-derived neurotrophic factor: methodological aspects and demographical data. *Brain Res Bull* 2007 Jun 15;73(1-3):143-9.
17. Ziebell M, Thomsen G, Knudsen GM, de NR, Svarer C, Wagner A, Pinborg LH. Reproducibility of [123I]PE_{2I} binding to dopamine transporters with SPECT. *Eur J Nucl Med Mol Imaging* 2007 Jan;34(1):101-9.

2006

1. Balslev D, Nielsen FA, Lund TE, Law I, Paulson OB. Similar brain networks for detecting visuo-motor and visuo-proprioceptive synchrony. *Neuroimage* 2006 May 15;31(1):308-12.
2. Husum H, Aznar S, Hoyer-Hansen S, Larsen MH, Mikkelsen JD, Moller A, Mathe AA, Wortwein G. Exacerbated loss of cell survival, neuropeptide Y-immunoreactive (IR) cells, and serotonin-IR fiber lengths in the dorsal hippocampus of the aged flinders sensitive line "depressed" rat: Implications for the pathophysiology of depression? *J Neurosci Res* 2006 Nov 1;84(6):1292-302.
3. Knudsen GM, editor. Conference proceedings on Neuroreceptor Mapping 2006. *Neuroimage* 31, suppl.2, T1-T186. 2006. Elsevier.
4. Kornum BR, Licht CL, Weikop P, Knudsen GM, Aznar S. Central serotonin depletion affects rat brain areas differently: a qualitative and quantitative comparison between different treatment schemes. *Neurosci Lett* 2006 Jan 9;392(1-2):129-34.

5. Kornum BR, Weikop P, Moller A, Ronn LC, Knudsen GM, Aznar S. Serotonin depletion results in a decrease of the neuronal activation caused by rivastigmine in the rat hippocampus. *Brain Res* 2006 Feb 16;1073-1074:262-8.
6. Nielsen FA, Christensen MS, Madsen KH, Lund TE, Hansen LK. fMRI neuroinformatics. *IEEE Eng Med Biol Mag* 2006 Mar;25(2):112-9.
7. Nielsen K, Brask D, Knudsen GM, Aznar S. Immunodetection of the serotonin transporter protein is a more valid marker for serotonergic fibers than serotonin. *Synapse* 2006 Apr;59(5):270-6.